

[Email us with accessibility issues regarding this report.](#)



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	-	23	242	1,524	12,982	70,584	248,426	333,781
	3	-	-	3	39	340	2,386	10,431	34,272	47,471
	4	-	-	-	-	10	78	319	1,226	1,633
	5	-	-	-	-	1	4	5	26	36
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	26	281	1,875	15,450	81,339	283,950	382,921
31	1 - 2	-	-	3	14	271	3,149	16,009	50,388	69,834
	3	-	-	2	30	245	2,282	12,805	53,502	68,866
	4	-	-	-	5	51	342	1,924	8,736	11,058
	5	-	-	-	-	8	48	202	616	874
	6	-	-	-	1	1	12	21	40	75
	7	-	-	-	-	-	1	3	1	5
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	5	50	576	5,834	30,964	113,283	150,712
41	1 - 2	-	-	-	1	15	249	2,778	13,647	16,690
	3	-	-	-	4	46	814	8,217	52,661	61,742
	4	-	-	-	-	26	414	2,824	20,439	23,703
	5	-	-	-	-	6	80	400	2,955	3,441
	6	-	-	-	-	1	18	61	267	347
	7	-	-	-	-	2	15	19	27	63
	8	-	-	-	1	4	6	15	3	29
TOTAL		-	-	-	6	100	1,596	14,314	89,999	106,015
51	1 - 2	-	-	-	-	3	81	462	1,229	1,775
	3	-	-	-	-	15	162	1,697	8,061	9,935
	4	-	-	-	1	4	69	673	4,957	5,704
	5	-	-	-	-	1	24	120	915	1,060
	6	-	-	-	-	-	4	37	109	150
	7	-	-	-	-	-	-	14	34	48
	8	-	-	-	-	-	-	1	3	4
TOTAL		-	-	-	1	23	340	3,004	15,308	18,676
61	1 - 2	-	-	-	-	1	-	16	44	61
	3	-	-	-	-	2	6	54	161	223
	4	-	-	-	-	-	-	26	109	135
	5	-	-	-	-	-	-	3	19	22
	6	-	-	-	-	-	1	2	5	8
	7	-	-	-	-	-	-	1	2	3
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	3	7	102	340	452
71	1 - 2	-	-	-	-	-	-	-	5	5
	3	-	-	-	-	-	-	-	2	2
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	7	7
12 & 22	1 - 2	-	-	2	45	624	4,837	22,764	58,469	86,741
	3	-	-	1	12	406	1,410	6,204	17,660	25,693
	4	-	-	1	2	9	128	487	1,253	1,880
	5	-	-	-	-	1	7	26	70	104
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	-	1	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	4	59	1,040	6,382	29,482	77,458	114,425
32	1 - 2	-	-	-	3	115	680	4,359	10,202	15,359
	3	-	-	1	6	81	681	4,131	10,634	15,534
	4	-	-	1	2	22	185	1,015	2,611	3,836
	5	-	-	-	1	3	26	145	403	578
	6	-	-	-	-	1	4	10	44	59
	7	-	-	-	-	-	-	-	12	12
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	2	12	222	1,576	9,660	23,907	35,379
42	1 - 2	-	-	-	1	11	46	179	1,087	1,324
	3	-	-	-	-	6	131	814	4,123	5,074
	4	-	-	-	-	4	113	677	2,004	2,798
	5	-	-	-	-	1	33	171	597	802
	6	-	-	-	2	2	5	8	73	90
	7	-	-	-	-	-	2	5	56	63
	8	-	-	-	1	-	1	17	70	89
TOTAL		-	-	-	4	24	331	1,871	8,010	10,240
52	1 - 2	-	-	-	-	-	-	19	109	128
	3	-	-	-	-	-	17	101	670	788
	4	-	-	-	1	4	22	152	482	661
	5	-	-	-	-	2	29	71	156	258
	6	-	-	-	-	-	6	10	59	75
	7	-	-	-	-	-	1	4	12	17
	8	-	-	-	-	2	29	52	33	116
TOTAL		-	-	-	1	8	104	409	1,521	2,043

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	4	5	9
	4	-	-	-	-	-	-	4	7	11
	5	-	-	-	-	-	-	-	3	3
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	6	6
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	8	23	31
13 & 23	1 - 2	-	-	-	5	31	429	1,996	5,227	7,688
	3	-	-	1	1	19	363	1,008	2,413	3,805
	4	-	-	-	-	4	30	91	259	384
	5	-	-	-	-	-	-	3	28	31
	6	-	-	-	-	-	-	1	1	2
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	1	6	54	822	3,099	7,928	11,910
33	1 - 2	-	-	-	-	12	92	454	1,177	1,735
	3	-	-	-	2	17	244	801	2,098	3,162
	4	-	-	-	-	3	114	347	854	1,318
	5	-	-	-	-	1	13	58	184	256
	6	-	-	-	-	-	2	7	23	32
	7	-	-	-	-	-	-	-	3	3
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	2	33	465	1,667	4,339	6,506
43	1 - 2	-	-	-	1	-	2	24	66	93
	3	-	-	-	-	2	18	114	404	538
	4	-	-	-	-	1	24	135	358	518
	5	-	-	-	-	-	3	45	117	165
	6	-	-	-	-	-	-	24	19	43
	7	-	-	-	-	-	-	4	6	10
	8	-	-	-	-	-	-	1	5	6
TOTAL		-	-	-	1	3	47	347	975	1,373
53	1 - 2	-	-	-	-	-	-	5	4	9
	3	-	-	-	-	1	2	14	29	46
	4	-	-	-	-	1	4	8	37	50
	5	-	-	-	-	2	-	6	15	23
	6	-	-	-	-	-	-	2	2	4
	7	-	-	-	-	-	-	4	2	6
	8	-	-	-	-	-	-	3	3	6
TOTAL		-	-	-	-	4	6	42	92	144
63	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	1	-	1
	4	-	-	-	-	-	-	1	3	4
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	3	3	6
24 - 54	1 - 8	-	-	-	1	3	48	382	728	1,162
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	12	18	30
TOTAL ALL		-	-	38	424	3,968	33,008	176,705	627,889	842,032

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	490,475	646,600	767,076	292,989	100,334	37,064	2,334,538	2,668,319
	3	81,154	158,891	281,633	151,693	59,056	21,444	753,871	801,342
	4	3,114	8,275	16,899	12,971	7,507	1,355	50,121	51,754
	5	58	132	377	236	193	17	1,013	1,049
	6	-	1	1	2	1	-	5	5
	7	-	-	-	1	-	-	1	1
	8	4	4	2	-	-	-	10	10
TOTAL		574,805	813,903	1,065,988	457,892	167,091	59,880	3,139,559	3,522,480
31	1 - 2	108,151	172,965	226,337	72,820	25,676	11,481	617,430	687,264
	3	172,799	407,900	806,855	341,886	99,897	44,296	1,873,633	1,942,499
	4	32,663	96,206	230,540	152,882	59,280	17,246	588,817	599,875
	5	2,182	6,485	17,406	14,508	8,081	1,690	50,352	51,226
	6	115	234	815	593	369	36	2,162	2,237
	7	7	8	25	14	4	1	59	64
	8	1	1	-	1	1	-	4	4
TOTAL		315,918	683,799	1,281,978	582,704	193,308	74,750	3,132,457	3,283,169
41	1 - 2	41,643	77,423	79,478	14,280	1,649	427	214,900	231,590
	3	210,886	549,074	953,471	296,413	41,882	5,081	2,056,807	2,118,549
	4	104,922	337,867	791,728	407,510	93,675	12,710	1,748,412	1,772,115
	5	17,949	59,748	139,040	101,065	40,122	6,949	364,873	368,314
	6	1,957	5,493	11,509	10,341	5,257	1,205	35,762	36,109
	7	166	472	925	904	441	95	3,003	3,066
	8	6	15	58	40	19	12	150	179
TOTAL		377,529	1,030,092	1,976,209	830,553	183,045	26,479	4,423,907	4,529,922
51	1 - 2	2,438	2,545	1,975	214	59	1	7,232	9,007
	3	23,974	41,581	56,859	16,325	1,674	120	140,533	150,468
	4	20,655	49,350	95,393	45,080	7,954	851	219,283	224,987
	5	5,503	16,854	32,294	19,397	6,206	860	81,114	82,174
	6	1,311	3,818	5,321	3,638	1,774	439	16,301	16,451
	7	230	779	977	738	489	134	3,347	3,395
	8	31	52	149	143	83	13	471	475
TOTAL		54,142	114,979	192,968	85,535	18,239	2,418	468,281	486,957
61	1 - 2	94	60	7	-	-	-	161	222
	3	434	206	87	11	1	-	739	962
	4	235	324	277	30	3	-	869	1,004
	5	43	92	136	36	21	1	329	351
	6	35	26	48	20	49	2	180	188
	7	8	14	6	4	6	1	39	42
	8	-	6	1	1	1	-	9	9
TOTAL		849	728	562	102	81	4	2,326	2,778
71	1 - 2	13	11	-	-	-	-	24	29
	3	5	5	-	-	-	-	10	12
	4	-	-	1	1	-	-	2	2
	5	-	1	3	-	-	-	4	4
	6	-	-	-	-	1	-	1	1
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		18	17	4	1	1	-	41	48
12 & 22	1 - 2	86,695	93,024	82,466	20,704	4,737	1,744	289,370	376,111
	3	31,261	44,889	61,453	30,324	9,036	1,783	178,746	204,439
	4	2,793	6,211	10,790	8,238	3,641	542	32,215	34,095
	5	128	303	658	551	286	30	1,956	2,060
	6	5	6	12	17	3	-	43	49
	7	-	-	-	-	-	-	-	1
	8	-	3	3	-	-	-	6	6
TOTAL		120,882	144,436	155,382	59,834	17,703	4,099	502,336	616,761
32	1 - 2	11,764	9,067	7,781	1,699	397	247	30,955	46,314
	3	17,477	24,231	39,601	15,921	4,197	1,056	102,483	118,017
	4	6,266	12,787	29,139	19,818	7,992	883	76,885	80,721
	5	1,429	3,388	8,158	6,268	3,335	247	22,825	23,403
	6	212	492	1,020	734	326	31	2,815	2,874
	7	31	56	74	69	17	1	248	260
	8	-	8	3	1	1	-	13	14
TOTAL		37,179	50,029	85,776	44,510	16,265	2,465	236,224	271,603
42	1 - 2	1,677	2,364	1,985	312	31	6	6,375	7,699
	3	10,023	20,633	33,757	10,008	1,390	174	75,985	81,059
	4	4,847	13,555	39,688	23,648	6,236	745	88,719	91,517
	5	1,458	3,968	13,799	14,325	7,538	1,303	42,391	43,193
	6	331	1,214	4,278	4,586	2,993	513	13,915	14,005
	7	101	409	876	1,022	603	80	3,091	3,154
	8	43	112	133	113	51	6	458	547
TOTAL		18,480	42,255	94,516	54,014	18,842	2,827	230,934	241,174
52	1 - 2	112	198	118	20	1	2	451	579
	3	1,611	3,413	4,474	1,318	146	26	10,988	11,776
	4	1,317	4,132	9,529	5,017	1,006	183	21,184	21,845
	5	571	1,465	4,437	3,443	1,612	256	11,784	12,042
	6	187	487	1,429	1,183	628	183	4,097	4,172
	7	67	204	323	342	221	44	1,201	1,218
	8	24	145	237	162	78	11	657	773
TOTAL		3,889	10,044	20,547	11,485	3,692	705	50,362	52,405

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2025 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	1	-	-	1	-	-	2	2
	3	25	9	27	3	-	-	64	73
	4	22	54	113	17	1	-	207	218
	5	14	24	51	14	3	-	106	109
	6	6	13	20	5	3	-	47	49
	7	10	2	8	1	1	1	23	29
	8	8	7	5	2	1	-	23	23
TOTAL		86	109	224	43	9	1	472	503
13 & 23	1 - 2	8,617	8,905	5,709	1,793	570	287	25,881	33,569
	3	4,643	6,143	6,283	2,073	816	246	20,204	24,009
	4	709	1,183	1,692	558	201	68	4,411	4,795
	5	93	111	186	56	8	4	458	489
	6	11	4	5	2	1	-	23	25
	7	-	-	-	-	-	-	-	-
	8	-	1	6	-	-	-	7	7
TOTAL		14,073	16,347	13,881	4,482	1,596	605	50,984	62,894
33	1 - 2	1,830	1,449	1,005	351	99	108	4,842	6,577
	3	3,799	4,191	4,375	1,536	371	241	14,513	17,675
	4	1,822	3,159	4,194	1,524	396	132	11,227	12,545
	5	561	1,232	1,787	640	181	28	4,429	4,685
	6	117	240	332	134	35	5	863	895
	7	28	24	41	14	4	-	111	114
	8	1	3	1	1	-	-	6	6
TOTAL		8,158	10,298	11,735	4,200	1,086	514	35,991	42,497
43	1 - 2	44	46	23	17	1	-	131	224
	3	487	617	829	425	50	11	2,419	2,957
	4	614	1,041	1,967	1,086	230	62	5,000	5,518
	5	271	728	1,827	998	370	96	4,290	4,455
	6	132	362	840	623	308	55	2,320	2,363
	7	31	112	237	272	115	16	783	793
	8	9	35	35	70	29	8	186	192
TOTAL		1,588	2,941	5,758	3,491	1,103	248	15,129	16,502
53	1 - 2	13	6	1	1	-	-	21	30
	3	134	107	113	39	2	-	395	441
	4	96	222	319	99	34	6	776	826
	5	40	91	218	123	38	6	516	539
	6	11	35	117	70	25	5	263	267
	7	5	14	32	49	37	6	143	149
	8	7	11	26	53	24	2	123	129
TOTAL		306	486	826	434	160	25	2,237	2,381
63	1 - 2	-	-	-	-	-	-	-	-
	3	5	-	-	-	-	-	5	6
	4	-	-	2	-	-	-	2	6
	5	1	-	1	-	-	-	2	2
	6	-	-	1	-	1	-	2	2
	7	-	-	3	-	-	-	3	4
	8	-	-	3	1	-	-	4	4
TOTAL		6	-	10	1	1	-	18	24
24 - 54	1 - 8	1,169	1,532	1,218	421	130	62	4,532	5,694
25 - 35	1 - 8	-	-	-	-	-	-	-	-
81 - 85	1 - 8	38	22	18	5	1	-	84	114
TOTAL ALL		1,529,115	2,922,017	4,907,600	2,139,707	622,353	175,082	12,295,874	13,137,906

EXTRANEOUS MATTER	
Bark - Level 1	385,873
Bark - Level 2	19
Grass - Level 1	15,903
Grass - Level 2	6
Prep - Level 1	163
Prep - Level 2	1
Seed Coat - Level 1	51,090
Seed Coat - Level 2	9
Oil - Level 1	64
Oil - Level 2	-
Spindle Twist - Level 1	8
Spindle Twist - Level 2	1
Other - Level 1	172
Other - Level 2	1
Plastic - Level 1	3,422
Plastic - Level 2	-

Average Staple	36.64
Percent Tenderable	81.7
SAMPLES CLASSED	13,137,906

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	*	*	*	0.1	0.5	1.9	3.7	4.9	5.8	2.2	0.8	0.3	20.3
	3	-	-	*	*	*	*	0.1	0.3	0.6	1.2	2.1	1.2	0.4	0.2	6.1
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	*	*	*	0.1	0.6	2.2	4.4	6.2	8.1	3.5	1.3	0.5	26.8
31	1 - 2	-	-	*	*	*	*	0.1	0.4	0.8	1.3	1.7	0.6	0.2	0.1	5.2
	3	-	-	*	*	*	*	0.1	0.4	1.3	3.1	6.1	2.6	0.8	0.3	14.8
	4	-	-	-	*	*	*	*	0.1	0.2	0.7	1.8	1.2	0.5	0.1	4.6
	5	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
TOTAL		-	-	*	*	*	*	0.2	0.9	2.4	5.2	9.8	4.4	1.5	0.6	25.0
41	1 - 2	-	-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.1	*	*	1.8
	3	-	-	-	*	*	*	0.1	0.4	1.6	4.2	7.3	2.3	0.3	*	16.1
	4	-	-	-	-	*	*	*	0.2	0.8	2.6	6.0	3.1	0.7	0.1	13.5
	5	-	-	-	-	*	*	*	*	0.1	0.5	1.1	0.8	0.3	0.1	2.8
	6	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	0.1	0.7	2.9	7.8	15.0	6.3	1.4	0.2	34.5
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.1
	4	-	-	-	*	*	*	*	*	0.2	0.4	0.7	0.3	0.1	*	1.7
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.4	0.9	1.5	0.7	0.1	*	3.7
61	1 - 2	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
12 & 22	1 - 2	-	-	*	*	*	*	0.2	0.4	0.7	0.7	0.6	0.2	*	*	2.9
	3	-	-	*	*	*	*	*	0.1	0.2	0.3	0.5	0.2	0.1	*	1.6
	4	-	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	*	*	*	*	0.2	0.6	0.9	1.1	1.2	0.5	0.1	*	4.7
32	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	*	*	*	*	*	0.1	0.1	0.2	0.3	0.1	*	*	0.9
	4	-	-	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
TOTAL		-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.7	0.3	0.1	*	2.1
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.6
	4	-	-	-	-	*	*	*	*	*	0.1	0.3	0.2	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.1	0.3	0.7	0.4	0.1	*	1.8
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	*	*	0.1	0.2	0.1	*	*	0.4

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
33	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
43	1 - 2	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
24 - 54	1 - 8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL ALL		-	-	*	*	*	0.3	1.3	4.8	11.6	22.2	37.4	16.3	4.7	1.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.9
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.4
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	*
Other - Level 1	*
Other - Level 2	*
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.64
Percent Tenderable	81.7
SAMPLES CLASSED	13,137,906

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.2	0.5	1.1	0.2	0.1	*	2.2
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.2	0.1	*	1.3
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.8	1.7	0.4	0.1	*	3.5
31	1 - 2	-	-	-	-	-	*	0.1	0.4	1.2	2.4	4.0	1.0	0.2	*	9.3
	3	-	-	-	-	*	*	0.1	0.7	2.6	5.8	12.6	4.8	1.0	0.2	27.7
	4	-	-	-	-	-	*	*	0.1	0.4	1.2	2.9	1.9	0.4	0.1	7.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.2	4.3	9.5	19.7	7.9	1.7	0.3	44.7
41	1 - 2	-	-	-	-	-	*	0.1	0.2	0.8	1.0	1.0	0.1	*	*	3.3
	3	-	-	-	-	*	*	0.1	0.9	3.5	6.6	8.8	2.2	0.4	*	22.6
	4	-	-	-	-	-	*	0.1	0.4	1.6	3.9	6.6	2.5	0.5	0.1	15.6
	5	-	-	-	-	-	*	*	*	0.2	0.7	1.0	0.6	0.2	*	2.8
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.6	6.1	12.2	17.5	5.6	1.1	0.2	44.5
51	1 - 2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.7	0.5	*	*	-	2.4
	4	-	-	-	-	-	*	*	0.2	0.4	0.6	0.5	*	*	*	1.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.2	0.6	1.3	1.5	1.2	0.1	*	*	4.9
61	1 - 2	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.2	*	*	1.1
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.3

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	-	*	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	*	-	*	-	*	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL ALL		-	-	-	-	*	*	0.7	3.6	12.3	24.6	40.9	14.3	3.1	0.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.6
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.59
Percent Tenderable	89.9
SAMPLES CLASSED	549,869

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.2	2.1	9.1	4.1	0.7	0.1	16.3
	3	-	-	-	-	-	-	-	*	0.1	0.2	1.0	1.3	0.4	*	3.1
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.3	2.3	10.1	5.5	1.2	0.1	19.6
31	1 - 2	-	-	-	-	-	*	*	0.1	0.8	1.8	4.4	2.1	0.5	0.1	9.7
	3	-	-	-	-	-	-	*	*	0.4	1.0	5.1	3.7	1.2	0.3	11.8
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.7	0.8	0.5	0.1	2.3
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.2	3.0	10.2	6.7	2.2	0.5	24.0
41	1 - 2	-	-	-	-	-	*	*	0.1	0.4	0.8	1.2	0.2	*	*	2.9
	3	-	-	-	-	-	-	*	0.1	0.8	3.2	8.4	3.7	0.7	0.2	17.0
	4	-	-	-	-	-	-	*	*	0.2	1.2	6.0	4.9	1.5	0.4	14.2
	5	-	-	-	-	-	-	-	*	0.1	0.3	1.4	1.6	0.8	0.2	4.4
	6	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.2	0.1	0.7
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	0.3	1.5	5.6	17.2	10.6	3.3	0.9	39.4
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.2	0.7	0.8	0.2	*	*	1.9
	4	-	-	-	-	-	-	-	*	0.2	0.5	1.6	1.0	0.3	0.1	3.6
	5	-	-	-	-	-	-	*	*	*	0.1	1.0	0.8	0.4	0.1	2.4
	6	-	-	-	-	-	-	*	*	*	*	0.4	0.3	0.2	*	1.0
	7	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
TOTAL		-	-	-	-	-	-	*	0.1	0.3	1.4	3.9	2.4	1.0	0.2	9.4
61	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	0.1	0.6	1.3	0.4	0.1	0.1	2.6
	3	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.2	0.1	1.2
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.8	1.8	0.8	0.4	0.2	4.0
32	1 - 2	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	*	*	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	0.3	0.3	0.1	*	0.9
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	0.6
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.6	0.5	0.2	*	1.4
52	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.5	0.2	0.1	*	0.9

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	0.1	*	-	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	-	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	*	0.7	3.5	13.5	44.9	27.0	8.5	1.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.4
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.28
Percent Tenderable	86.3
SAMPLES CLASSED	232,176

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
31	1 - 2	-	-	-	-	-	*	*	*	*	0.3	0.6	0.2	*	*	1.1
	3	-	-	-	-	*	*	*	*	0.1	1.0	5.0	2.6	0.3	*	9.0
	4	-	-	-	-	*	*	*	*	*	0.2	1.3	1.4	0.3	*	3.4
	5	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.2	1.5	7.0	4.2	0.7	0.1	13.7
41	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	*	0.8
	3	-	-	-	-	-	*	*	0.1	0.7	4.2	14.9	5.6	0.6	*	26.2
	4	-	-	-	-	-	*	*	0.1	0.7	4.2	17.2	10.5	2.2	0.2	35.2
	5	-	-	-	-	-	*	*	*	0.2	1.1	3.3	2.6	1.0	0.1	8.4
	6	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.7
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.8	9.9	36.2	19.0	3.9	0.4	71.3
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.2	0.5	1.3	0.3	*	*	2.4
	4	-	-	-	-	-	*	*	*	0.2	0.7	2.5	1.3	0.2	*	4.9
	5	-	-	-	-	-	*	*	*	0.1	0.4	1.0	0.6	0.2	*	2.3
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.5	1.8	4.9	2.3	0.4	*	10.0
61	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	0.2	0.5	0.2	*	*	1.0
	4	-	-	-	-	*	*	*	*	*	0.2	0.7	0.5	0.1	*	1.5
	5	-	-	-	-	-	*	*	*	*	*	0.2	0.2	0.2	*	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.4	1.4	0.9	0.3	0.1	3.2
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	0.1	0.3	0.2	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.5	0.3	0.1	*	1.3

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.3	2.6	13.8	50.3	27.0	5.4	0.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	1.0
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.19
Percent Tenderable	70.4
SAMPLES CLASSED	1,421,220

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.2	1.0	4.5	8.4	2.7	1.1	*	18.0
	3	-	-	-	-	-	-	-	*	0.1	0.4	1.7	2.3	1.9	0.1	6.5
	4	-	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	1.1	5.0	10.2	5.2	3.1	0.1	24.9
31	1 - 2	-	-	-	-	-	-	-	*	0.6	3.7	6.8	2.2	0.5	*	13.8
	3	-	-	-	-	-	-	*	*	0.2	1.0	5.0	2.7	1.6	0.4	10.9
	4	-	-	-	-	-	-	-	-	-	*	1.0	1.3	0.9	0.2	3.4
	5	-	-	-	-	-	-	-	-	-	*	0.2	0.3	0.2	*	0.6
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.8	4.8	12.9	6.5	3.2	0.7	28.8
41	1 - 2	-	-	-	-	-	-	*	*	0.5	2.9	3.0	0.3	*	*	6.8
	3	-	-	-	-	-	-	*	0.1	0.5	6.2	12.7	2.4	0.3	*	22.3
	4	-	-	-	-	-	-	*	0.1	0.2	0.9	3.7	1.6	0.7	0.1	7.3
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.6	0.7	0.1	1.7
	6	-	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	1.3	10.2	19.6	5.1	1.8	0.2	38.4
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.3	0.2	*	0.1	-	0.6
	4	-	-	-	-	-	-	*	*	0.2	0.3	0.3	*	*	*	0.9
	5	-	-	-	-	-	-	*	*	0.2	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	0.2	0.1	*	*	-	*	0.3
	7	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	0.1	0.6	0.8	0.7	0.1	0.1	*	2.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	0.1	*	-	0.1
	3	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	0.4
32	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	0.3
	3	-	-	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	0.6
	4	-	-	-	-	-	-	-	-	-	*	0.2	0.2	0.1	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.6	0.9	0.3	*	1.9
42	1 - 2	-	-	-	-	-	-	-	-	-	*	0.1	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	0.9
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.7	0.8	0.2	*	1.9
52	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	0.1	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	0.3	0.2	0.2	0.1	*	-	0.8

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.1	0.5	4.2	21.4	44.9	19.0	8.8	1.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.8
Bark - Level 2	-
Grass - Level 1	1.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.09
Percent Tenderable	85.6
SAMPLES CLASSED	94,092

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	0.3	0.8	0.5	*	0.1	*	1.7
	3	-	-	-	-	-	-	-	-	*	0.1	0.2	*	0.1	*	0.5
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.3	0.9	0.7	0.1	0.2	*	2.2
31	1 - 2	-	-	-	-	-	-	-	*	0.2	0.8	1.6	0.4	0.1	*	3.1
	3	-	-	-	-	-	-	*	0.1	1.1	3.4	4.9	2.0	0.7	0.1	12.5
	4	-	-	-	-	-	-	*	0.1	0.4	0.8	0.9	0.4	0.1	0.1	2.8
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	1.6	5.1	7.5	2.9	1.0	0.2	18.4
41	1 - 2	-	-	-	-	-	-	*	0.2	0.4	0.9	1.1	0.2	*	*	2.8
	3	-	-	-	-	-	*	*	0.9	4.6	10.8	13.4	5.7	1.3	0.2	37.0
	4	-	-	-	-	*	*	0.1	0.7	4.2	8.5	9.2	4.9	1.2	0.2	28.9
	5	-	-	-	-	-	*	*	0.2	0.6	1.3	1.1	0.6	0.2	*	4.0
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	1.9	9.8	21.5	24.9	11.4	2.7	0.4	72.9
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.6	0.6	0.2	0.1	*	1.7
	4	-	-	-	-	-	-	*	*	0.1	0.5	0.9	0.5	0.3	*	2.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.2	0.3	1.2	1.6	0.9	0.5	*	4.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.2	0.3	*	-	-	0.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	0.4	0.5	*	*	*	1.2
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	*	*	*	*	*	-	0.2

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.2	2.4	12.4	29.2	35.5	15.3	4.4	0.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.64
Percent Tenderable	91.0
SAMPLES CLASSED	90,071

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.5
	3	-	-	-	-	-	*	*	*	0.2	0.4	0.4	0.1	0.1	*	1.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.5	0.9	0.8	0.2	0.1	*	2.7
31	1 - 2	-	-	-	-	*	*	0.1	0.5	1.6	2.5	2.5	0.5	0.1	*	7.8
	3	-	-	-	*	*	*	0.1	0.9	3.3	6.4	8.0	2.4	0.6	0.1	21.9
	4	-	-	-	-	-	*	*	0.1	0.4	1.0	1.8	0.8	0.2	*	4.2
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.2	1.4	5.2	9.9	12.3	3.8	1.0	0.2	34.1
41	1 - 2	-	-	-	*	*	*	0.1	0.4	1.2	1.8	1.5	0.2	*	*	5.3
	3	-	-	-	*	*	*	0.3	1.8	5.6	10.9	10.8	2.4	0.5	0.1	32.4
	4	-	-	-	-	*	*	0.1	0.5	1.8	4.7	6.5	2.1	0.6	0.1	16.3
	5	-	-	-	-	*	*	*	*	0.1	0.4	0.8	0.4	0.2	*	2.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.5	2.7	8.8	17.8	19.6	5.3	1.3	0.2	56.2
51	1 - 2	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.6	0.8	0.4	0.1	*	*	2.2
	4	-	-	-	*	*	*	*	0.1	0.5	0.8	0.6	0.1	*	*	2.2
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.4	1.2	1.8	1.2	0.3	0.1	*	5.1
61	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.6
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.1
52	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	*	0.1	0.9	4.9	16.0	31.0	34.5	9.7	2.5	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.4
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.34
Percent Tenderable	88.4
SAMPLES CLASSED	1,738,863

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	0.1	0.2	0.5	1.0	1.3	0.7	0.4	*	4.1
	3	-	-	-	-	*	*	*	0.2	0.6	1.4	1.4	1.2	0.4	*	5.3
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	1.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.4	1.2	2.7	3.1	2.2	0.9	0.1	10.7
31	1 - 2	-	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	*	0.9
	3	-	-	-	-	*	*	*	*	0.2	0.9	2.4	2.6	1.2	0.2	7.6
	4	-	-	-	-	-	*	*	*	0.2	0.8	3.1	3.4	1.4	0.2	9.3
	5	-	-	-	-	-	-	*	*	*	0.2	0.9	0.9	0.4	*	2.6
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	*	*	*	0.1	0.5	2.0	6.8	7.4	3.3	0.5	20.7
41	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.6	0.6	0.1	*	1.6
	4	-	-	-	-	-	-	*	*	0.1	0.6	2.5	2.8	0.8	0.1	6.7
	5	-	-	-	-	-	-	-	*	0.2	0.7	3.2	3.5	1.5	0.1	9.2
	6	-	-	-	-	-	-	*	*	0.1	0.3	1.6	1.6	0.8	0.1	4.5
	7	-	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	0.9
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.5	1.9	8.2	8.9	3.3	0.3	23.0
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.4
	6	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.2	0.1	1.1
	7	-	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	0.8
	8	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.2
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.9	0.8	0.6	0.2	2.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	1.2
	3	-	-	-	-	-	*	*	0.1	0.5	1.3	1.4	0.4	0.1	*	3.9
	4	-	-	-	-	-	-	*	*	0.3	0.6	0.7	0.3	0.1	*	2.0
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.1	2.4	2.5	0.9	0.2	*	7.3
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	1.0	0.8	0.4	0.1	3.1
	4	-	-	-	-	-	-	*	*	0.3	0.7	1.8	1.6	0.8	0.2	5.4
	5	-	-	-	-	-	-	*	*	0.1	0.3	1.0	0.9	0.5	*	2.9
	6	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	0.6
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.6	1.5	4.1	3.5	1.8	0.4	12.2
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	0.7
	4	-	-	-	-	-	-	*	0.1	0.1	0.3	1.2	1.2	0.5	0.1	3.4
	5	-	-	-	-	-	*	*	0.1	0.1	0.3	1.9	1.8	1.1	0.1	5.5
	6	-	-	-	-	-	-	*	*	0.1	0.3	1.3	1.4	0.9	0.1	4.0
	7	-	-	-	-	-	-	-	*	*	0.1	0.4	0.5	0.3	*	1.4
	8	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
TOTAL		-	-	-	-	-	*	*	0.1	0.3	1.2	5.2	5.2	2.9	0.3	15.3
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	0.5
	8	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	0.3
TOTAL		-	-	-	-	-	-	*	*	*	0.2	0.3	0.4	0.2	*	1.2

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.3	*	*	-	0.9
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	0.7	0.6	0.1	*	-	1.7
33	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	*	1.0
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.6	0.8	0.3	0.1	*	2.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.6	0.2	0.1	*	1.2
	6	-	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	0.9
	7	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.4
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
TOTAL		-	-	-	-	-	-	-	*	0.2	0.4	1.2	0.8	0.3	*	3.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
TOTAL		-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL ALL		-	-	-	-	*	*	0.2	1.2	5.1	13.7	33.8	30.6	13.7	1.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	41.1
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.35
Percent Tenderable	32.5
SAMPLES CLASSED	160,354

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.6	1.2	1.2	1.2	0.2	*	4.5
	3	-	-	-	-	-	-	-	*	0.2	0.6	1.0	0.6	0.2	*	2.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.8	1.7	2.2	1.8	0.4	0.1	7.1
31	1 - 2	-	-	-	-	-	-	*	0.2	1.3	2.4	3.3	1.5	0.4	0.1	9.2
	3	-	-	-	-	-	-	*	0.4	3.6	9.6	16.0	5.5	1.5	0.1	36.6
	4	-	-	-	-	-	-	*	0.1	1.3	3.6	4.7	1.9	0.7	*	12.3
	5	-	-	-	-	-	-	-	-	*	0.2	0.2	0.2	0.1	*	0.8
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.6	6.3	15.8	24.1	9.0	2.7	0.3	58.9
41	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	0.5
	3	-	-	-	-	-	-	*	0.2	1.0	2.7	5.0	0.9	0.3	*	10.1
	4	-	-	-	-	-	-	*	0.1	1.4	4.7	7.4	2.0	0.6	*	16.2
	5	-	-	-	-	-	-	*	*	0.2	1.4	2.0	0.9	0.3	0.1	4.9
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	2.7	8.9	14.7	3.9	1.2	0.1	32.0
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	0.1	0.3	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.5	*	*	*	0.7
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	0.1	*	-	*	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	*	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.5
42	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	*	*	0.6
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.1	1.1	10.0	26.9	42.1	15.0	4.4	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.4
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.75
Percent Tenderable	71.5
SAMPLES CLASSED	223,299

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.5	0.7	0.3	0.2	0.1	2.0
	3	-	-	-	-	-	*	*	*	0.1	0.4	0.6	0.3	0.2	0.1	1.8
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.4	0.8	1.3	0.6	0.4	0.1	3.8
31	1 - 2	-	-	-	-	-	*	*	0.1	0.5	1.0	1.2	0.4	0.1	*	3.4
	3	-	-	-	-	*	*	0.1	0.4	2.2	5.3	7.6	3.4	1.0	0.3	20.3
	4	-	-	-	-	-	*	*	0.1	0.5	1.7	3.4	1.9	0.7	0.2	8.6
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.7	3.3	8.1	12.4	5.9	1.9	0.5	32.9
41	1 - 2	-	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	0.9
	3	-	-	-	-	*	*	*	0.6	3.1	6.4	6.5	1.7	0.3	0.1	18.8
	4	-	-	-	-	-	*	*	0.4	2.8	7.4	9.9	3.6	1.5	0.4	26.1
	5	-	-	-	-	-	*	*	*	0.5	1.7	2.7	1.4	0.7	0.3	7.3
	6	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	0.6
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	1.1	6.6	16.0	19.6	6.9	2.6	0.8	53.6
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.3	0.4	0.3	*	*	*	1.1
	4	-	-	-	-	-	*	*	0.1	0.5	1.1	1.1	0.3	0.1	*	3.3
	5	-	-	-	-	-	-	*	*	0.2	0.5	0.5	0.2	0.1	*	1.5
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.0	2.1	1.9	0.5	0.2	*	6.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	1.2
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.4	0.9	0.8	0.2	*	2.4
52	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	0.7

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.2	2.1	11.5	27.7	36.4	15.0	5.4	1.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.72
Percent Tenderable	63.7
SAMPLES CLASSED	706,521

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
31	1 - 2	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.3	*	*	1.5
	3	-	-	-	-	-	-	*	*	0.1	0.8	4.3	3.2	0.4	*	9.0
	4	-	-	-	-	-	-	-	*	*	0.1	0.6	0.9	0.2	*	1.8
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	1.2	5.7	4.5	0.7	*	12.3
41	1 - 2	-	-	-	-	-	-	*	*	0.2	0.5	1.3	0.4	*	*	2.4
	3	-	-	-	-	-	*	*	0.1	0.8	4.5	21.3	10.5	0.9	*	38.1
	4	-	-	-	-	-	-	*	*	0.2	2.0	11.6	11.0	1.7	0.1	26.6
	5	-	-	-	-	-	-	-	*	*	0.2	0.9	1.4	0.5	*	3.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	1.2	7.2	35.1	23.4	3.2	0.2	70.4
51	1 - 2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.7	2.6	1.1	0.1	*	4.5
	4	-	-	-	-	-	-	*	*	0.1	0.5	2.8	2.2	0.3	*	6.0
	5	-	-	-	-	-	-	-	*	*	0.1	0.5	0.5	0.2	*	1.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.2	1.4	6.0	3.9	0.6	0.1	12.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.7	0.2	*	*	1.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.6	0.5	0.1	*	1.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.4	1.5	0.9	0.3	*	3.3
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	0.7
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.6	0.4	0.1	*	1.6

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL ALL		-	-	-	-	-	*	*	0.2	1.8	10.4	49.0	33.2	4.9	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.29
Percent Tenderable	86.7
SAMPLES CLASSED	680,258

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	1.0	5.2	6.8	11.9	11.9	3.3	0.4	40.4
	3	-	-	-	-	-	-	*	0.2	1.7	1.8	3.4	3.3	0.4	*	10.9
	4	-	-	-	-	-	-	-	-	*	*	0.5	0.2	*	*	0.8
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	1.2	7.0	8.6	15.8	15.4	3.7	0.4	52.2
31	1 - 2	-	-	-	-	-	-	*	0.5	1.5	1.1	3.0	1.6	*	-	7.6
	3	-	-	-	-	-	-	-	0.2	1.3	2.1	4.7	6.6	0.2	0.1	15.3
	4	-	-	-	-	-	-	*	*	0.3	1.3	2.0	3.4	0.3	*	7.3
	5	-	-	-	-	-	-	-	-	0.1	0.2	0.4	0.5	*	*	1.1
	6	-	-	-	-	-	-	-	-	*	-	-	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.7	3.2	4.7	10.0	12.1	0.6	0.1	31.4
41	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	0.1	0.4	*	*	0.6
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	0.8	0.2	-	1.2
	5	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.5	0.5	*	1.3
	6	-	-	-	-	-	-	-	-	*	0.1	*	0.1	0.2	0.1	0.6
	7	-	-	-	-	-	-	-	-	-	*	-	*	*	0.1	0.1
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.4	0.3	1.8	0.9	0.2	3.8
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	0.1	0.1	*	0.7	1.4	*	-	2.4
	3	-	-	-	-	-	-	-	-	0.1	*	0.5	2.2	0.2	*	3.0
	4	-	-	-	-	-	-	-	-	-	*	0.2	0.1	*	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	0.2	0.1	1.4	3.7	0.3	*	5.7
32	1 - 2	-	-	-	-	-	-	-	0.3	0.2	*	*	*	-	*	0.6
	3	-	-	-	-	-	-	-	*	0.1	*	0.2	1.1	0.1	*	1.6
	4	-	-	-	-	-	-	-	-	-	*	0.6	1.9	0.1	*	2.7
	5	-	-	-	-	-	-	-	-	-	-	0.4	0.3	0.1	-	0.8
	6	-	-	-	-	-	-	-	-	-	-	0.1	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.3	0.3	0.1	1.4	3.4	0.3	0.1	5.8
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	*	-	0.3
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	0.2	0.1	-	-	0.3
	5	-	-	-	-	-	-	-	*	-	-	0.2	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	0.5	0.1	-	-	0.7
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	2.3	10.7	14.0	29.6	36.7	5.8	0.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	6.5
Bark - Level 2	-
Grass - Level 1	0.6
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.09
Percent Tenderable	81.6
SAMPLES CLASSED	12,080

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	-	0.4
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	0.8
31	1 - 2	-	-	-	-	-	*	*	0.2	0.7	2.0	2.4	0.4	0.1	*	5.7
	3	-	-	-	-	-	*	*	0.2	1.5	5.1	10.4	2.5	0.4	*	20.2
	4	-	-	-	-	-	-	*	*	0.3	1.0	3.1	1.2	0.2	*	5.8
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.4	2.5	8.1	16.1	4.1	0.7	0.1	32.0
41	1 - 2	-	-	-	-	-	*	*	0.1	0.5	1.1	1.2	0.1	*	*	3.1
	3	-	-	-	-	-	*	*	0.4	2.7	8.2	14.9	3.1	0.5	*	30.0
	4	-	-	-	-	-	*	*	0.2	1.7	4.8	12.4	4.6	0.9	0.1	24.6
	5	-	-	-	-	-	-	*	0.1	0.3	0.7	1.8	1.2	0.4	*	4.5
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	*	0.1	0.8	5.3	14.9	30.3	9.1	1.8	0.2	62.5
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	0.8
	4	-	-	-	-	-	-	*	*	0.1	0.4	0.8	0.3	0.1	*	1.7
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	0.1	0.4	0.9	1.5	0.6	0.1	*	3.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	*	-	*
	8	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.1	*	*	0.7
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	-	-	*	*	-	*
	8	-	-	-	-	*	*	*	*	*	-	-	*	*	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	1.4	8.3	24.4	48.7	14.1	2.7	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.6
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.5
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.74
Percent Tenderable	90.7
SAMPLES CLASSED	653,677

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	0.2	1.0	3.2	5.6	11.5	9.5	6.9	3.2	41.1
	3	-	-	-	-	-	-	*	0.1	0.3	0.7	1.7	1.8	2.6	2.2	9.4
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.4
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.0	3.5	6.4	13.2	11.4	9.6	5.6	50.9
31	1 - 2	-	-	-	-	*	*	0.1	0.3	0.8	1.7	3.7	3.0	2.6	1.3	13.6
	3	-	-	-	-	*	*	*	0.3	0.8	1.8	3.8	3.4	4.8	4.3	19.3
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.8	0.6	1.0	1.5	4.4
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	0.1	0.1	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.6	1.8	4.0	8.4	7.0	8.4	7.2	37.5
41	1 - 2	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.1	0.5
	3	-	-	-	-	*	*	*	0.1	0.2	0.4	0.5	0.2	0.2	0.2	1.9
	4	-	-	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.2	0.2	1.5
	5	-	-	-	-	-	*	-	*	*	0.1	0.1	0.1	*	0.1	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	0.5	0.9	1.1	0.5	0.5	0.6	4.4
51	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	0.2	0.6	0.7	0.3	0.1	0.1	*	2.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	0.9
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	0.8	0.9	0.6	0.2	0.2	0.1	3.1
32	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.1	0.1	0.1	1.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	-	*	*	0.2	0.4	0.5	0.6	0.2	0.2	0.1	2.2
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	*	*	*	0.2	0.1	0.1	0.1	*	*	0.4
	3	-	-	-	-	-	-	*	*	*	*	*	*	0.1	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.2	0.1	0.1	0.1	0.1	*	0.6
33	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.5
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL ALL		-	-	-	-	*	0.1	0.5	2.4	7.3	13.1	24.4	19.6	19.1	13.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.4
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	*
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	*
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.64
Percent Tenderable	91.1
SAMPLES CLASSED	539,396

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	-	-	*	*	*	0.2	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
31	1 - 2	-	-	-	-	-	-	*	0.1	0.3	1.0	0.7	0.1	*	*	2.3
	3	-	-	-	-	-	*	*	0.3	1.6	5.7	6.1	1.1	0.4	0.1	15.3
	4	-	-	-	-	-	*	*	0.2	0.5	1.7	2.2	0.8	0.3	0.1	5.7
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.5	2.5	8.5	9.1	2.1	0.7	0.1	23.6
41	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.9	0.6	0.1	*	*	1.9
	3	-	-	-	-	-	*	0.1	0.6	3.3	11.8	12.6	2.3	0.5	*	31.3
	4	-	-	-	-	-	*	0.1	0.5	2.4	9.1	14.1	4.1	1.1	0.1	31.4
	5	-	-	-	-	-	-	*	0.1	0.6	1.1	2.0	0.9	0.3	*	5.1
	6	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.2	1.2	6.6	23.0	29.3	7.4	2.0	0.2	69.9
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.4	0.6	0.5	0.1	*	*	1.7
	4	-	-	-	-	-	-	*	*	0.3	0.7	1.0	0.3	*	*	2.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.8	1.5	1.8	0.5	0.1	*	4.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.1
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	0.1	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	0.7
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	2.0	10.1	33.7	40.7	10.2	2.7	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.6
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	1.7
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.56
Percent Tenderable	86.4
SAMPLES CLASSED	283,935

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	3	-	-	-	-	-	*	-	*	*	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	0.5
31	1 - 2	-	-	-	-	-	-	*	0.6	1.1	2.6	2.2	0.4	*	*	6.9
	3	-	-	-	-	-	*	*	0.1	0.8	3.9	7.5	2.0	0.1	*	14.5
	4	-	-	-	-	-	*	*	*	0.1	0.4	1.8	0.8	0.1	*	3.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.7	2.0	6.9	11.6	3.3	0.3	*	24.8
41	1 - 2	-	-	-	-	-	-	*	0.4	1.4	3.2	2.4	0.3	*	-	7.7
	3	-	-	-	-	-	*	*	0.6	3.1	11.4	16.8	3.5	0.4	*	35.8
	4	-	-	-	-	-	*	*	0.1	0.6	3.2	7.2	2.7	0.4	*	14.2
	5	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.1	*	1.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	1.0	5.2	18.3	27.2	6.9	0.9	0.1	59.6
51	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	-	-	*	*	0.3	0.9	0.9	0.2	*	*	2.4
	4	-	-	-	-	-	-	*	*	0.3	0.8	0.8	0.2	*	*	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.7	1.9	1.9	0.5	*	*	5.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
42	1 - 2	-	-	-	-	-	*	*	0.2	0.2	0.3	0.2	*	*	-	0.9
	3	-	-	-	-	-	-	*	0.3	0.8	2.0	1.7	0.1	*	*	5.0
	4	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.2	*	*	1.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.5	1.1	2.8	2.7	0.4	0.1	*	7.5
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	0.7
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.5	0.4	0.1	*	*	1.3

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	2.6	9.5	30.9	44.3	11.3	1.3	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.56
Percent Tenderable	82.3
SAMPLES CLASSED	340,307

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	*	*	*	0.2	1.3	4.6	8.8	11.1	12.4	4.2	1.1	0.4	44.1
	3	-	-	*	*	*	*	0.2	0.6	1.4	2.6	4.7	2.4	0.7	0.2	12.9
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	*	*	*	0.3	1.5	5.2	10.2	13.9	17.4	6.8	1.9	0.5	57.8
31	1 - 2	-	-	*	*	*	0.1	0.2	0.6	0.9	1.0	1.1	0.3	0.1	0.1	4.5
	3	-	-	*	*	*	*	0.2	0.5	0.9	1.7	4.1	2.0	0.5	0.3	10.3
	4	-	-	-	*	*	*	*	0.1	0.2	0.6	1.4	1.1	0.5	0.1	4.0
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*
TOTAL		-	-	*	*	*	0.1	0.4	1.2	2.1	3.3	6.8	3.6	1.2	0.4	19.2
41	1 - 2	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	3	-	-	-	*	*	*	*	0.1	0.1	0.3	0.8	0.3	0.1	*	1.8
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.8	0.5	0.1	*	1.7
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.2	0.7	2.0	1.0	0.3	*	4.4
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
61	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
12 & 22	1 - 2	-	-	*	*	*	0.1	0.4	1.1	1.6	1.7	1.5	0.4	0.1	*	6.8
	3	-	-	*	*	*	*	0.1	0.3	0.6	0.8	1.1	0.5	0.2	*	3.6
	4	-	-	*	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	*	*	*	0.1	0.6	1.4	2.2	2.5	2.7	1.0	0.3	0.1	11.0
32	1 - 2	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.6	0.2	*	*	1.7
	4	-	-	*	*	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	1.2
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	-	*	*	-	*	-	*
TOTAL		-	-	*	*	*	*	0.2	0.4	0.6	0.8	1.2	0.6	0.2	*	4.1
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	*	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.1	0.2	0.5	0.2	0.1	*	1.2
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	-	-	-	*	*	*	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	3	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	1.1
33	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
43	1 - 2	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	-	-	*	-	*	-	*
24 - 54	1 - 8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL ALL		-	-	*	*	0.1	0.6	2.9	8.7	15.9	22.0	31.2	13.5	4.1	1.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	4.7
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	*
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.32
Percent Tenderable	82.2
SAMPLES CLASSED	5,238,867

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	*	0.2	0.5	0.1	*	*	0.9
	3	-	-	-	-	-	-	-	*	*	0.3	0.7	0.2	*	*	1.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.6	1.2	0.3	0.1	*	2.2
31	1 - 2	-	-	-	-	-	-	*	0.1	0.5	2.5	4.8	0.7	0.1	*	8.7
	3	-	-	-	-	-	-	*	0.2	1.9	8.1	22.2	5.0	0.8	0.1	38.2
	4	-	-	-	-	-	-	-	*	0.4	1.2	4.5	1.7	0.4	*	8.3
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	2.9	11.8	31.7	7.5	1.4	0.1	55.6
41	1 - 2	-	-	-	-	-	-	-	*	0.2	0.6	0.8	0.1	*	-	1.7
	3	-	-	-	-	-	-	*	0.2	1.3	6.2	11.8	1.8	0.2	*	21.6
	4	-	-	-	-	-	*	*	0.1	0.9	3.3	8.6	2.2	0.5	*	15.7
	5	-	-	-	-	-	*	*	*	0.2	0.4	1.0	0.7	0.3	*	2.6
	6	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.4	2.5	10.5	22.3	5.0	1.0	*	41.8
51	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2025 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.6	5.4	23.0	55.4	12.8	2.6	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.6
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.82
Percent Tenderable	96.1
SAMPLES CLASSED	172,921

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2025 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	3,354	-	359	-	1	-	1	-	687	-
Arizona	906	-	446	-	1	-	15	-	307	-
Arkansas	445	-	694	-	-	-	3	-	13,724	-
California	1,725	-	1,001	-	-	-	2	-	-	-
Florida	1,309	-	111	-	-	-	-	-	311	-
Georgia	24,182	-	1,598	-	-	-	16	-	5,064	-
Kansas	65,887	1	110	-	-	-	-	-	71	-
Louisiana	129	-	53	-	-	-	-	-	864	-
Mississippi	78	-	218	-	3	-	3	-	2,272	-
Missouri	67	-	6	-	-	-	5	-	1,428	-
New Mexico	783	-	72	-	-	-	-	-	-	-
North Carolina	10,488	-	274	-	1	-	11	-	3,097	-
Oklahoma	18,379	2	577	-	2	-	1	1	53	1
South Carolina	10,142	-	156	-	1	-	6	-	4,918	-
Tennessee	10	-	22	-	-	-	-	-	9	-
Texas	245,694	16	10,178	6	45	-	99	-	17,284	8
Virginia	2,295	-	28	-	10	-	1	-	1,001	-
<i>United States</i>	<i>385,873</i>	<i>19</i>	<i>15,903</i>	<i>6</i>	<i>64</i>	<i>-</i>	<i>163</i>	<i>1</i>	<i>51,090</i>	<i>9</i>

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	-	-	56	-	-	-	4,458	-
Arizona	-	-	39	-	1	-	1,715	-
Arkansas	3	-	189	-	-	-	15,058	-
California	-	-	5	-	7	-	2,740	-
Florida	-	-	6	-	-	-	1,737	-
Georgia	6	-	280	-	-	-	31,146	-
Kansas	-	-	27	-	-	-	66,095	1
Louisiana	3	-	29	-	-	-	1,078	-
Mississippi	1	-	174	-	-	-	2,749	-
Missouri	1	-	107	-	-	-	1,614	-
New Mexico	-	-	6	-	-	-	861	-
North Carolina	1	-	152	-	-	-	14,024	-
Oklahoma	3	1	88	-	-	-	19,103	5
South Carolina	-	-	59	-	-	-	15,282	-
Tennessee	-	-	35	-	-	-	76	-
Texas	154	-	2,144	-	-	1	275,598	31
Virginia	-	-	26	-	-	-	3,361	-
<i>United States</i>	<i>172</i>	<i>1</i>	<i>3,422</i>	<i>-</i>	<i>8</i>	<i>1</i>	<i>456,695</i>	<i>37</i>

Table 21. -- Tenderability of upland cotton classed, by states, 2025 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	494,101	89.9	55,768	10.1
Arizona	200,365	86.3	31,811	13.7
Arkansas	1,000,832	70.4	420,388	29.6
California	80,565	85.6	13,527	14.4
Florida	81,966	91.0	8,105	9.0
Georgia	1,536,562	88.4	202,301	11.6
Kansas	52,137	32.5	108,217	67.5
Louisiana	159,751	71.5	63,548	28.5
Mississippi	450,029	63.7	256,492	36.3
Missouri	590,032	86.7	90,226	13.3
New Mexico	9,855	81.6	2,225	18.4
North Carolina	593,020	90.7	60,657	9.3
Oklahoma	491,209	91.1	48,187	8.9
South Carolina	245,336	86.4	38,599	13.6
Tennessee	280,016	82.3	60,291	17.7
Texas	4,307,677	82.2	931,190	17.8
Virginia	166,185	96.1	6,736	3.9
<i>United States</i>	<i>10,739,638</i>	<i>81.7</i>	<i>2,398,268</i>	<i>18.3</i>

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2
2021	13,876,313	82.7	2,896,284	17.3
2022	11,219,992	82.3	2,419,707	17.7
2023	9,067,507	79.3	2,370,793	20.7
2024	10,946,682	80.6	2,636,185	19.4

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2025 Crop

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	4.1	41.1	39.3	35.5	14.2	0.1	1.5	0.9	0.4	0.3	0.9	0.5
	3	5.3	9.4	6.3	7.5	14.3	0.2	1.2	0.8	0.3	0.4	1.3	0.5
	4	1.1	0.4	0.2	0.4	1.4	*	*	*	*	*	0.1	*
	5	0.1	*	*	*	*	-	*	*	*	-	-	*
	6	*	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		10.7	50.9	45.8	43.5	30.0	0.3	2.7	1.7	0.8	0.8	2.2	1.0
31	1 - 2	0.9	13.6	9.0	9.9	5.0	0.8	3.2	2.2	5.7	2.3	8.7	5.3
	3	7.6	19.3	7.7	12.7	22.2	12.3	18.8	16.1	20.2	15.3	38.2	21.7
	4	9.3	4.4	1.5	3.8	9.4	6.9	8.7	7.9	5.8	5.7	8.3	6.2
	5	2.6	0.3	0.1	0.5	1.0	0.3	0.6	0.5	0.3	0.3	0.5	0.3
	6	0.3	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		20.7	37.5	18.3	27.0	37.7	20.3	31.3	26.8	32.0	23.6	55.6	33.5
41	1 - 2	*	0.5	0.5	0.4	0.6	0.3	0.9	0.6	3.1	1.9	1.7	2.5
	3	1.6	1.9	1.2	1.6	5.4	19.3	18.8	19.0	30.0	31.3	21.6	29.0
	4	6.7	1.5	0.8	1.8	5.1	41.2	26.9	32.8	24.6	31.4	15.7	25.0
	5	9.2	0.4	0.2	1.5	1.3	11.3	7.7	9.1	4.5	5.1	2.6	4.3
	6	4.5	0.1	*	0.6	0.1	0.7	0.5	0.6	0.4	0.2	0.1	0.3
	7	0.9	*	*	0.1	*	*	*	*	*	*	*	*
	8	*	-	*	*	-	-	-	-	*	-	-	*
TOTAL		23.0	4.4	2.7	6.1	12.5	72.7	54.8	62.2	62.5	69.9	41.8	61.2
51	1 - 2	-	*	*	*	*	*	*	*	*	0.1	*	0.1
	3	-	*	*	*	0.2	1.0	1.2	1.1	0.8	1.7	*	0.9
	4	*	*	*	*	0.4	1.9	3.8	3.0	1.7	2.3	0.1	1.6
	5	0.4	*	*	0.1	0.1	1.1	1.7	1.5	0.8	0.6	*	0.7
	6	1.1	*	*	0.2	*	0.2	0.3	0.2	0.2	0.1	*	0.1
	7	0.8	*	*	0.1	*	*	*	*	*	*	*	*
	8	0.2	*	*	*	-	-	-	-	*	-	-	*
TOTAL		2.6	0.1	*	0.4	0.8	4.2	7.0	5.8	3.6	4.9	0.2	3.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		*	-	-	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*
12 & 22	1 - 2	1.2	2.1	14.9	7.6	4.0	-	*	*	*	-	-	*
	3	3.9	0.9	3.8	2.6	3.8	*	*	*	*	*	*	*
	4	2.0	0.1	0.2	0.4	1.0	-	*	*	*	-	*	*
	5	0.2	*	*	*	0.1	-	-	-	-	-	-	-
	6	*	-	*	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		7.3	3.1	19.0	10.6	8.8	*	*	*	*	*	*	*
32	1 - 2	0.1	0.4	3.9	1.9	0.6	*	*	*	*	*	*	*
	3	3.1	1.2	4.3	2.8	2.6	*	0.2	0.1	0.1	0.1	*	0.1
	4	5.4	0.5	1.1	1.4	2.4	*	0.2	0.1	0.1	0.1	*	0.1
	5	2.9	0.1	0.2	0.5	0.6	*	*	*	*	*	*	*
	6	0.6	*	*	0.1	*	*	*	*	-	*	-	*
	7	0.1	-	*	*	*	-	-	-	-	-	-	-
	8	*	*	-	*	-	-	-	-	-	-	-	-
TOTAL		12.2	2.2	9.5	6.7	6.3	0.1	0.4	0.3	0.3	0.1	0.1	0.2
42	1 - 2	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*
	3	0.7	0.1	0.5	0.4	0.9	0.2	0.7	0.5	0.3	0.2	*	0.2
	4	3.4	0.2	0.5	0.8	1.1	0.9	1.4	1.2	0.3	0.4	*	0.3
	5	5.5	0.1	0.2	0.8	0.6	0.7	0.6	0.6	0.1	0.1	*	0.1
	6	4.0	*	*	0.5	0.1	0.1	0.1	0.1	*	*	*	*
	7	1.4	*	*	0.2	*	*	*	*	*	-	-	*
	8	0.2	*	*	*	-	-	-	-	*	-	-	*
TOTAL		15.3	0.5	1.4	2.8	2.8	2.0	2.8	2.5	0.7	0.7	0.1	0.6

Table 23. --- Continued.

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	-	-	*	*	*	-	*	*	*	*	-	*
	3	-	*	-	*	*	*	0.1	0.1	*	*	-	*
	4	*	*	*	*	0.1	0.1	0.3	0.2	*	0.1	*	*
	5	0.1	*	*	*	0.1	0.1	0.3	0.2	*	*	*	*
	6	0.3	*	*	*	*	0.1	0.2	0.1	*	*	-	*
	7	0.5	*	*	0.1	*	*	*	*	*	-	-	*
	8	0.3	*	*	*	-	-	-	-	*	-	-	*
TOTAL		1.2	*	*	0.2	0.2	0.3	0.9	0.6	0.1	0.1	*	0.1
62	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	-	*
	6	-	-	-	-	*	-	*	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	*	*	-	*	*	-	-	-	-	-	-	-
TOTAL		*	*	-	*	*	*	*	*	*	-	-	*
13 & 23	1 - 2	0.1	0.4	0.9	0.6	0.1	-	-	-	*	-	-	*
	3	0.9	0.2	0.5	0.4	0.1	-	-	-	*	-	*	*
	4	0.6	*	0.1	0.1	*	-	-	-	*	*	-	*
	5	0.1	-	*	*	*	-	-	-	-	-	-	-
	6	*	-	*	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		1.7	0.6	1.5	1.1	0.2	-	-	-	*	*	*	*
33	1 - 2	*	0.1	0.3	0.2	*	-	*	*	*	-	-	*
	3	0.4	0.3	0.7	0.5	0.1	-	*	*	*	*	*	*
	4	1.0	0.1	0.3	0.3	0.1	*	*	*	*	*	*	*
	5	0.6	*	*	0.1	*	-	-	-	*	*	*	*
	6	0.1	*	*	*	*	-	-	-	*	-	-	*
	7	*	*	-	*	*	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		2.1	0.5	1.3	1.1	0.3	*	*	*	*	*	*	*
43	1 - 2	-	*	*	*	*	-	-	-	*	*	-	*
	3	0.1	*	0.1	0.1	0.1	*	*	*	*	*	*	*
	4	0.5	*	0.1	0.1	0.1	*	*	*	*	*	*	*
	5	1.2	*	*	0.2	0.1	*	*	*	*	*	*	*
	6	0.9	*	*	0.1	*	*	*	*	*	-	*	*
	7	0.4	*	*	*	*	-	-	-	*	-	-	*
	8	0.1	-	-	*	-	-	-	-	*	-	-	*
TOTAL		3.1	0.1	0.3	0.6	0.3	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	*	-	*	*	-	-	-	-
	3	*	*	*	*	*	*	*	*	*	*	-	*
	4	*	*	*	*	*	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	*	*	-	*
	6	*	*	*	*	*	*	*	*	*	-	-	*
	7	0.1	*	*	*	*	-	*	*	*	*	-	*
	8	0.1	*	*	*	-	-	-	-	*	-	-	*
TOTAL		0.2	*	*	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	*	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	*	-	-	-	-	-	-	-	-
TOTAL		*	*	*	*	*	-	*	*	-	-	-	-
24 - 54	1 - 8	0.1	0.1	0.2	0.1	*	-	-	-	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	*	*	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	*	*	-	-	-	-	-	-	-	-
31		*	*	0.2	0.1	*	-	*	*	*	-	-	*
32		*	0.1	1.2	0.6	*	*	*	*	*	*	*	*
33		0.2	0.5	6.8	3.2	0.1	*	0.2	0.2	0.1	0.2	*	0.1
34		1.2	2.4	18.4	9.2	0.7	0.3	2.0	1.3	1.4	2.0	0.6	1.5
35		5.1	7.3	25.6	15.0	3.8	3.6	11.4	8.2	8.3	10.1	5.4	8.3
36		13.7	13.1	23.0	17.5	15.6	21.6	27.7	25.2	24.4	33.7	23.0	26.6
37		33.8	24.4	17.2	22.5	45.9	51.0	36.9	42.7	48.7	40.7	55.4	47.7
38		30.6	19.6	5.3	14.8	25.3	18.0	15.3	16.4	14.1	10.2	12.8	12.9
39		13.7	19.1	1.7	10.9	7.8	4.6	5.1	4.9	2.7	2.7	2.6	2.7
40 & Longer		1.8	13.6	0.6	6.4	0.7	0.8	1.4	1.1	0.3	0.4	0.1	0.3
Average Staple		37.35	37.64	35.47	36.66	37.17	37.00	36.72	36.84	36.74	36.56	36.82	36.71
Average Length		1.17	1.18	1.11	1.14	1.16	1.15	1.15	1.15	1.15	1.14	1.15	1.14

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2025 Crop

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
11 & 21	1 - 2	71.1	57.6	2.9	1.7	1.5	1.7	0.7	0.1	4.9	*	0.4	0.4
	3	6.7	15.0	1.5	0.5	1.2	1.2	0.9	0.1	4.9	*	0.1	0.4
	4	0.3	0.8	*	*	*	*	0.1	*	0.1	*	*	*
	5	*	*	*	-	*	*	-	-	*	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	*	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		78.0	73.5	4.4	2.2	2.7	2.9	1.6	0.2	9.9	*	0.5	0.8
31	1 - 2	3.2	3.4	10.9	3.1	7.8	8.1	6.1	1.2	4.2	1.5	6.9	2.6
	3	2.1	5.2	23.9	12.5	21.9	21.8	35.5	7.8	25.7	9.0	14.5	12.1
	4	0.4	2.0	4.1	2.8	4.2	4.2	13.2	2.0	9.0	1.8	3.2	3.4
	5	0.1	0.3	0.1	0.1	0.2	0.2	1.3	0.1	0.5	*	0.2	0.2
	6	*	*	*	-	*	*	0.1	*	*	*	*	*
	7	*	*	-	-	*	*	*	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		5.8	10.9	39.1	18.4	34.1	34.3	56.1	11.1	39.3	12.3	24.8	18.3
41	1 - 2	*	*	4.5	2.8	5.3	5.0	0.7	1.0	0.6	2.4	7.7	2.3
	3	*	0.1	25.9	37.0	32.4	31.5	15.9	28.7	14.4	38.1	35.8	30.8
	4	*	0.2	14.6	28.9	16.3	16.5	17.9	32.9	23.7	26.6	14.2	26.7
	5	*	0.2	1.9	4.0	2.0	2.1	4.5	7.4	6.9	3.2	1.8	5.1
	6	*	0.1	0.1	0.2	0.1	0.1	0.5	0.6	0.8	0.1	0.1	0.4
	7	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.1	0.5	47.0	72.9	56.2	55.3	39.4	70.7	46.4	70.4	59.6	65.4
51	1 - 2	-	*	0.5	0.1	0.2	0.2	*	0.1	*	0.2	0.2	0.1
	3	-	*	3.4	1.7	2.2	2.4	0.2	2.9	0.8	4.5	2.4	3.0
	4	-	*	2.6	2.3	2.2	2.3	0.2	6.0	1.5	6.0	2.2	4.8
	5	-	*	0.5	0.6	0.5	0.5	0.1	2.7	0.6	1.4	0.5	1.7
	6	*	*	0.1	0.1	0.1	0.1	*	0.5	0.1	0.1	*	0.3
	7	-	*	*	*	*	*	*	0.1	*	*	*	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		*	*	7.1	4.8	5.1	5.5	0.5	12.2	3.1	12.1	5.3	9.8
61	1 - 2	-	*	*	-	*	*	-	*	-	-	-	*
	3	-	*	0.2	*	*	*	*	*	-	*	*	*
	4	-	*	0.1	*	*	*	-	*	*	*	*	*
	5	-	-	*	*	*	*	-	*	-	*	*	*
	6	-	-	*	*	*	*	-	*	-	*	*	*
	7	-	-	-	-	*	*	-	-	-	*	-	*
	8	-	-	-	-	*	*	-	-	-	-	-	-
TOTAL		-	*	0.3	*	*	0.1	*	*	*	*	*	*
71	1 - 2	-	*	-	-	-	-	-	*	-	-	-	*
	3	-	*	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	-	-	-	-	-	*	-	*	-	*
12 & 22	1 - 2	10.4	6.0	0.1	*	*	*	*	*	*	-	*	*
	3	2.4	3.8	*	*	0.1	*	*	*	*	*	*	*
	4	0.2	0.5	*	-	*	*	*	*	-	-	*	*
	5	*	*	-	-	-	-	-	*	-	-	-	*
	6	*	*	-	-	-	-	-	*	-	-	-	*
	7	*	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		12.9	10.3	0.2	*	0.1	0.1	*	*	*	*	*	*
32	1 - 2	0.3	0.3	0.1	*	*	0.1	*	*	*	*	0.2	*
	3	0.5	1.0	0.3	0.2	0.2	0.3	0.5	0.1	*	0.1	0.5	0.2
	4	0.2	0.6	0.1	*	0.1	0.1	0.2	0.1	*	*	0.1	0.1
	5	0.1	0.2	*	-	*	*	*	*	*	*	*	*
	6	*	*	-	-	*	*	*	*	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		1.1	2.2	0.6	0.3	0.4	0.4	0.7	0.2	*	0.1	0.8	0.3
42	1 - 2	*	*	*	0.1	*	*	*	*	*	0.1	0.9	0.2
	3	*	*	0.3	0.7	0.6	0.5	0.7	1.2	0.5	1.3	5.0	1.7
	4	*	0.1	0.4	0.4	0.4	0.4	0.7	1.7	0.5	1.4	1.5	1.5
	5	*	0.1	0.1	*	0.1	0.1	0.1	0.6	0.1	0.4	0.1	0.4
	6	*	*	*	*	*	*	*	0.1	*	0.1	*	0.1
	7	*	*	*	*	*	*	*	*	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.2	0.8	1.2	1.1	1.1	1.5	3.7	1.1	3.3	7.5	3.8

* Less than 0.05 percent.

Table 24. -- Continued.

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
52	1 - 2	*	-	*	*	*	*	*	*	-	*	*	*
	3	*	-	0.1	0.1	*	0.1	*	0.3	*	0.5	0.7	0.4
	4	-	*	0.1	0.1	0.1	0.1	*	0.8	0.1	0.7	0.5	0.6
	5	*	*	0.1	*	*	*	*	0.4	*	0.3	0.1	0.3
	6	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	7	-	*	-	*	*	*	*	*	*	*	-	*
	8	-	*	-	-	*	*	-	-	-	-	-	-
TOTAL		*	*	0.4	0.2	0.2	0.2	*	1.6	0.1	1.6	1.3	1.4
62	1 - 2	-	-	*	-	-	*	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	*	-	*	*	*
	4	-	-	*	*	*	*	-	*	*	*	*	*
	5	-	-	*	*	*	*	-	*	-	*	*	*
	6	-	-	*	-	*	*	-	*	-	*	-	*
	7	-	-	-	-	*	*	-	*	-	*	-	*
	8	-	-	-	-	*	*	-	-	-	-	-	-
TOTAL		-	-	*	*	*	*	-	*	*	*	*	*
13 & 23	1 - 2	0.9	0.7	*	-	*	*	-	-	-	-	-	-
	3	0.3	0.6	*	-	*	*	-	-	-	-	-	-
	4	*	0.1	*	-	*	*	-	-	-	-	-	-
	5	*	*	-	-	*	*	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		1.3	1.4	*	-	*	*	-	-	-	-	-	-
33	1 - 2	0.1	0.1	*	-	*	*	-	-	-	*	*	*
	3	0.2	0.3	*	-	*	*	*	*	*	*	*	*
	4	0.2	0.2	*	-	*	*	*	*	*	*	*	*
	5	0.1	0.1	*	-	*	*	-	*	-	-	-	*
	6	*	*	-	-	*	*	*	-	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.6	0.8	*	-	*	*	*	*	*	*	*	*
43	1 - 2	*	*	-	-	*	*	-	*	-	*	*	*
	3	*	*	*	*	*	*	*	*	-	*	*	*
	4	*	*	*	*	*	*	*	0.1	*	*	*	*
	5	*	*	*	-	*	*	*	*	-	*	*	*
	6	*	*	*	-	*	*	*	*	-	*	*	*
	7	*	*	-	-	*	*	*	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.1	*	*	0.1	0.1	*	0.1	*	0.1	*	0.1
53	1 - 2	-	-	*	-	-	*	-	-	-	*	-	*
	3	-	-	*	*	*	*	-	*	-	*	*	*
	4	-	-	*	*	*	*	-	*	-	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	-	*	*	-	*	-	*	-	*
	7	-	*	-	-	*	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	0.1	*	*	*	*	0.1	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	-	-	-	-	-	-
	4	-	-	*	-	-	*	-	-	-	-	-	-
	5	-	-	*	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	-	-	*	-	-	-	-	-	-
24 - 54	1 - 8	0.1	0.1	*	-	*	*	-	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	-	-	*	-	-	-	*	-	*
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	*	*	-	-	-	-	-	-
31		0.2	0.1	*	*	*	*	*	*	-	-	-	*
32		1.8	0.5	0.1	*	0.1	0.1	*	*	*	*	*	*
33		7.4	2.6	0.9	0.2	0.9	0.8	0.2	0.1	0.2	*	0.1	0.1
34		21.0	8.8	4.3	2.4	4.9	4.7	2.2	0.3	2.1	0.2	2.6	0.8
35		28.7	18.4	13.3	12.4	16.0	15.4	10.3	2.2	8.3	1.8	9.5	4.1
36		21.8	25.8	26.0	29.2	31.0	30.1	21.7	10.8	22.6	10.4	30.9	15.1
37		14.8	29.1	41.6	35.5	34.5	35.7	39.6	50.1	39.4	49.0	44.3	47.6
38		3.7	10.5	11.4	15.3	9.7	10.2	20.1	30.4	16.6	33.2	11.3	26.9
39		0.6	3.1	2.2	4.4	2.5	2.5	4.8	5.7	8.1	4.9	1.3	4.9
40 & Longer		*	1.0	0.2	0.7	0.4	0.4	1.2	0.5	2.8	0.3	0.1	0.5
Average Staple		35.23	36.18	36.47	36.64	36.34	36.38	36.84	37.27	36.95	37.29	36.56	37.12
Average Length		1.10	1.13	1.14	1.14	1.13	1.13	1.15	1.16	1.15	1.17	1.14	1.16

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2025 Crop

Color	Leaf	Rayville					Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Texas 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
11 & 21	1 - 2	-	4.5	-	-	3.8	16.3	18.0	40.4	31.1	18.8	20.3
	3	-	2.6	-	-	2.5	3.1	6.5	10.9	11.9	5.0	6.1
	4	-	*	-	-	0.1	0.2	0.4	0.8	0.2	0.2	0.4
	5	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	7.1	-	-	6.5	19.6	24.9	52.2	43.2	24.0	26.8
31	1 - 2	-	9.2	-	-	8.0	9.7	13.8	7.6	11.7	10.9	5.2
	3	-	36.6	-	-	32.8	11.8	10.9	15.3	33.0	13.5	14.8
	4	-	12.3	-	-	11.5	2.3	3.4	7.3	5.8	3.0	4.6
	5	-	0.8	-	-	0.9	0.2	0.6	1.1	0.3	0.4	0.4
	6	-	*	-	-	*	*	0.1	0.1	*	*	*
	7	-	-	-	-	-	-	-	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	58.9	-	-	53.2	24.0	28.8	31.4	50.8	27.7	25.0
41	1 - 2	-	0.5	-	-	0.8	2.9	6.8	*	0.4	3.6	1.8
	3	-	10.1	-	-	12.3	17.0	22.3	0.6	0.7	16.4	16.1
	4	-	16.2	-	-	16.3	14.2	7.3	1.2	0.2	10.8	13.5
	5	-	4.9	-	-	4.5	4.4	1.7	1.3	0.1	3.2	2.8
	6	-	0.3	-	-	0.4	0.7	0.3	0.6	*	0.6	0.3
	7	-	-	-	-	-	0.1	*	0.1	-	0.1	*
	8	-	-	-	-	-	*	-	-	-	*	*
TOTAL		-	32.0	-	-	34.3	39.4	38.4	3.8	1.5	34.8	34.5
51	1 - 2	-	*	-	-	*	0.1	0.1	-	*	0.1	0.1
	3	-	*	-	-	*	1.9	0.6	-	*	1.4	1.1
	4	-	0.4	-	-	0.3	3.6	0.9	*	-	2.5	1.7
	5	-	0.3	-	-	0.3	2.4	0.5	*	*	1.6	0.6
	6	-	0.1	-	-	0.1	1.0	0.3	*	-	0.7	0.1
	7	-	-	-	-	-	0.3	0.1	-	-	0.2	*
	8	-	-	-	-	-	0.1	*	-	-	*	*
TOTAL		-	0.7	-	-	0.7	9.4	2.5	*	*	6.6	3.7
61	1 - 2	-	-	-	-	-	*	-	-	-	*	*
	3	-	*	-	-	*	*	*	-	-	*	*
	4	-	*	-	-	*	*	*	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	*	*
	6	-	-	-	-	-	*	*	-	-	*	*
	7	-	-	-	-	-	*	*	-	-	*	*
	8	-	-	-	-	-	*	*	-	-	*	*
TOTAL		-	*	-	-	*	*	*	-	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	0.1	-	-	0.1	2.6	0.1	2.4	1.0	1.8	2.9
	3	-	*	-	-	0.1	1.2	0.2	3.0	0.9	1.0	1.6
	4	-	*	-	-	0.1	0.2	*	0.3	0.1	0.1	0.3
	5	-	*	-	-	*	*	-	-	-	*	*
	6	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	-	0.3	4.0	0.4	5.7	1.9	3.0	4.7
32	1 - 2	-	0.1	-	-	0.1	0.1	0.3	0.6	0.1	0.2	0.4
	3	-	0.3	-	-	0.5	0.4	0.6	1.6	0.5	0.5	0.9
	4	-	0.2	-	-	0.8	0.3	0.5	2.7	0.2	0.4	0.6
	5	-	*	-	-	0.4	0.1	0.3	0.8	*	0.1	0.2
	6	-	*	-	-	0.1	*	*	0.1	*	*	*
	7	-	-	-	-	-	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.5	-	-	1.8	0.9	1.9	5.8	0.8	1.3	2.1
42	1 - 2	-	*	-	-	*	*	0.1	-	*	*	0.1
	3	-	0.1	-	-	0.4	0.4	0.9	*	*	0.5	0.6
	4	-	0.4	-	-	1.2	0.6	0.5	0.1	-	0.5	0.7
	5	-	0.1	-	-	0.7	0.3	0.3	0.1	*	0.3	0.3
	6	-	*	-	-	0.4	0.1	0.1	0.1	-	0.1	0.1
	7	-	-	-	-	-	*	-	*	-	*	*
	8	-	-	-	-	-	*	-	-	-	*	*
TOTAL		-	0.6	-	-	2.7	1.4	1.9	0.3	*	1.4	1.8

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 25. -- Continued.

		Rayville					Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Texas 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
52	1 - 2	-	-	-	-	-	*	*	-	*	*	*
	3	-	*	-	-	*	0.1	0.1	-	-	0.1	0.1
	4	-	*	-	-	0.1	0.3	0.2	-	-	0.2	0.2
	5	-	*	-	-	0.1	0.3	0.2	-	-	0.2	0.1
	6	-	*	-	-	*	0.2	0.2	-	-	0.1	*
	7	-	-	-	-	*	*	0.1	-	-	0.1	*
	8	-	-	-	-	-	*	*	-	-	*	*
TOTAL		-	*	-	-	0.1	0.9	0.8	-	*	0.8	0.4
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	*	*
	4	-	-	-	-	-	*	*	-	-	*	*
	5	-	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	-	*	*	-	-	*	*
	7	-	-	-	-	-	*	*	-	-	*	*
	8	-	-	-	-	-	*	*	-	-	*	*
TOTAL		-	-	-	-	-	*	*	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	0.1	*	-	0.6	0.1	0.3
	3	-	-	-	-	-	*	*	*	0.5	0.1	0.2
	4	-	-	-	-	-	*	-	*	0.1	*	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	0.2	*	*	1.1	0.2	0.5
33	1 - 2	-	-	-	-	*	*	*	*	0.1	*	0.1
	3	-	*	-	-	*	*	*	0.1	0.3	*	0.1
	4	-	*	-	-	*	*	*	0.3	*	*	0.1
	5	-	*	-	-	*	*	*	0.2	*	*	*
	6	-	-	-	-	*	*	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	0.1	*	*	0.7	0.4	0.1	0.3
43	1 - 2	-	*	-	-	*	-	*	-	-	*	*
	3	-	*	-	-	*	*	0.1	*	*	*	*
	4	-	*	-	-	*	*	0.1	*	*	*	*
	5	-	*	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	0.1	0.1	0.2	0.1	*	0.1	0.1
53	1 - 2	-	-	-	-	-	*	-	-	-	*	*
	3	-	-	-	-	-	*	*	-	-	*	*
	4	-	-	-	-	-	*	*	-	-	*	*
	5	-	-	-	-	*	*	*	-	-	*	*
	6	-	-	-	-	*	*	*	-	-	*	*
	7	-	-	-	-	-	*	-	-	-	*	*
	8	-	-	-	-	-	*	-	-	-	*	*
TOTAL		-	-	-	-	*	*	*	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	0.1	*	*	-	0.1	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*
Staple												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	*	*	*
31		-	-	-	-	-	*	-	-	*	*	*
32		-	-	-	-	*	*	-	-	0.6	0.1	0.3
33		-	0.1	-	-	0.3	*	0.1	*	1.8	0.2	1.4
34		-	1.1	-	-	1.7	0.7	0.5	2.6	4.3	1.0	4.8
35		-	10.0	-	-	11.2	3.5	4.2	11.2	10.1	4.5	11.6
36		-	26.9	-	-	28.8	13.5	21.4	14.0	14.6	15.6	22.2
37		-	42.1	-	-	39.8	44.9	44.9	29.6	12.1	41.6	37.4
38		-	15.0	-	-	14.2	27.0	19.0	36.7	1.9	23.2	16.3
39		-	4.4	-	-	3.8	8.5	9.0	5.9	0.7	7.9	4.7
40 & Longer		-	0.5	-	-	0.4	1.9	1.4	0.9	53.7	6.4	1.4
Average Staple		-	36.75	-	-	36.66	37.28	37.09	37.09	40.13	37.46	36.64
Average Length		-	1.15	-	-	1.14	1.16	1.16	1.16	1.27	1.17	1.14

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2025 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	41.1	3.4	4.9	8.9	0.6	0.1	*	*	1.6	3.6	1.3	2.1
Bark - Level 2	*	*	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.1	0.3	0.2	*	0.1	*	0.1	*	*
Grass - Level 2	-	-	-	-	*	-	-	-	-	-	-	-
Oil - Level 1	-	*	*	*	*	-	*	*	*	*	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	*	*	*	*	*	-	-	*
Other - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	*	*	*	*	*	*
Prep - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	*	*	*	3.2	0.4	1.5	0.5	1.7	0.6	0.8
Seed Coat - Level 2	-	*	*	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	*	*	-	-	-	-	-	-	-
23	*	*	*	*	*	-	-	-	-	-	-	-
24	0.1	*	0.1	*	*	*	*	*	*	*	*	*
25	0.2	*	0.3	0.2	*	*	*	*	*	*	*	*
26	0.6	0.2	1.5	0.8	0.2	0.1	*	0.1	0.3	0.4	1.1	0.5
27	1.3	1.2	5.7	3.2	1.2	0.5	0.5	0.5	2.3	2.6	6.2	3.0
28	2.6	4.5	14.4	8.6	5.2	4.0	3.8	3.9	10.9	12.6	19.0	12.6
29	4.5	10.7	22.9	15.2	14.8	16.1	15.0	15.4	28.2	34.7	32.2	30.5
30	8.9	17.1	21.7	18.1	21.7	32.1	26.0	28.5	31.5	30.2	25.7	30.3
31	16.9	19.4	15.0	17.1	17.7	26.6	27.0	26.8	17.3	13.3	11.1	15.3
32	24.9	16.1	8.9	14.1	12.5	13.0	17.7	15.8	6.9	4.8	3.6	5.8
33	22.3	13.2	4.8	10.7	11.5	5.1	7.1	6.3	2.0	1.2	0.8	1.6
34	12.0	9.2	2.5	6.6	9.6	1.6	2.5	2.1	0.4	0.2	0.2	0.3
35	4.6	5.0	1.3	3.4	4.0	0.6	0.4	0.5	0.1	*	*	0.1
36	0.9	2.1	0.5	1.3	1.1	0.2	*	0.1	*	*	*	*
37	0.2	1.0	0.3	0.6	0.2	*	-	*	-	*	-	*
38	0.1	0.2	0.2	0.2	*	*	-	*	-	-	-	-
39	*	*	*	*	*	*	-	*	-	-	-	-
40 & Above	*	*	*	*	-	*	*	*	-	-	-	-
Average	32.40	31.95	30.39	31.33	31.59	30.98	31.17	31.09	30.26	30.02	29.73	30.12
MIKE												
2.4 & Below	0.3	*	*	0.1	-	-	-	-	-	-	-	-
2.5	1.3	*	0.1	0.2	*	-	-	-	*	-	-	*
2.6	1.6	*	0.1	0.3	*	-	-	-	-	-	-	-
2.7	2.2	0.1	0.1	0.4	*	-	-	-	*	-	*	*
2.8	2.5	0.1	0.2	0.5	*	-	-	-	*	*	*	*
2.9	2.5	0.1	0.2	0.5	*	-	-	-	*	*	*	*
3.0	2.8	0.2	0.3	0.6	0.1	-	-	-	*	*	0.1	*
3.1	3.3	0.3	0.5	0.8	0.1	-	-	-	*	*	0.1	*
3.2	3.9	0.6	0.7	1.1	0.3	*	*	*	0.1	0.1	0.1	0.1
3.3	4.3	1.0	0.9	1.4	0.5	-	*	*	0.2	0.2	0.3	0.2
3.4	5.3	1.4	1.4	1.9	0.9	*	*	*	0.3	0.3	0.4	0.3
3.5	5.9	2.1	2.2	2.6	1.3	*	*	*	0.5	0.5	0.7	0.5
3.6	6.3	3.5	3.0	3.7	1.9	*	0.1	0.1	0.9	0.9	1.3	0.9
3.7	6.5	4.8	4.0	4.7	2.7	*	0.1	0.1	1.5	1.9	2.6	1.8
3.8	6.4	6.3	5.0	5.7	4.4	*	0.2	0.1	2.4	2.8	3.9	2.7
3.9	6.3	7.6	7.0	7.1	6.7	0.1	0.3	0.2	3.5	4.3	6.7	4.2
4.0	6.7	8.9	8.9	8.6	9.0	0.2	0.5	0.4	4.9	5.8	9.2	5.8
4.1	7.0	9.9	11.0	10.0	11.0	0.4	0.8	0.6	7.0	7.3	11.5	7.8
4.2	5.7	9.9	12.5	10.5	12.8	0.6	1.4	1.0	9.3	8.7	14.1	9.9
4.3	5.6	10.2	12.3	10.5	12.9	1.0	2.2	1.7	11.6	9.9	14.5	11.6
4.4	4.6	9.3	10.8	9.3	11.3	1.7	3.5	2.8	12.2	10.4	12.7	11.8
4.5	3.3	8.4	7.8	7.5	8.8	2.8	4.9	4.1	11.3	10.4	9.1	10.7
4.6	2.1	6.6	5.2	5.4	6.0	4.8	7.7	6.5	10.2	9.7	5.9	9.4
4.7	1.6	4.5	2.9	3.4	3.7	7.8	10.8	9.5	8.5	8.5	3.2	7.7
4.8	1.2	2.5	1.5	1.9	2.3	12.2	14.2	13.4	6.0	6.7	1.8	5.5
4.9	0.5	1.1	0.7	0.9	1.3	16.0	16.0	16.0	4.1	4.9	1.1	3.9
5.0	0.2	0.4	0.4	0.4	0.8	18.0	15.1	16.3	2.7	3.3	0.6	2.5
5.1	*	0.1	0.3	0.2	0.4	15.3	11.1	12.9	1.5	2.0	0.2	1.4
5.2	*	*	0.2	0.1	0.3	10.8	6.5	8.2	0.7	1.0	*	0.7
5.3	-	*	*	*	0.2	5.6	3.0	4.0	0.3	0.5	*	0.3
5.4	-	-	-	-	0.1	1.9	1.2	1.5	0.1	0.2	*	0.1
5.5 & Above	-	*	-	*	0.2	0.8	0.4	0.5	*	0.1	*	*
Average	3.73	4.16	4.15	4.10	4.23	4.94	4.84	4.88	4.41	4.41	4.23	4.38

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2025 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	1.8	7.7	0.9	1.5	1.4	1.3	*	*	*	*	*	*
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.3	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*
Grass - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	*	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	-	*	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	-	*	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.4	0.2	0.3	0.3	0.3	*	0.1	0.1	0.2	*	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	-	-	-	-	*	-	-	*	-	*
23	0.1	*	*	-	*	*	-	*	-	*	-	*
24	0.2	0.1	*	-	*	*	*	*	*	*	*	*
25	0.9	0.2	*	*	0.1	0.1	*	*	*	*	*	*
26	2.7	0.7	0.3	*	0.7	0.6	*	*	0.1	*	*	*
27	7.6	2.7	2.2	0.4	3.6	3.2	0.5	0.1	0.7	0.1	0.5	0.2
28	14.1	7.2	10.0	3.3	11.2	10.7	5.4	1.0	4.2	0.7	3.8	1.8
29	19.9	14.7	20.4	13.1	21.0	20.6	24.6	9.7	16.7	8.1	21.0	12.4
30	21.9	20.2	25.9	26.8	24.8	25.1	35.4	35.1	32.8	36.9	38.7	36.0
31	17.5	19.8	21.6	27.4	19.2	19.9	20.6	35.8	26.3	35.7	24.7	32.5
32	9.3	15.0	12.2	16.9	11.1	11.5	8.7	13.7	11.8	13.0	8.2	12.2
33	3.7	9.7	5.1	7.3	5.2	5.3	3.4	3.7	5.1	4.5	2.4	3.8
34	1.3	5.5	1.9	3.9	2.1	2.1	1.0	0.8	1.8	1.0	0.7	0.9
35	0.5	2.5	0.5	0.9	0.7	0.7	0.3	0.1	0.4	0.1	0.1	0.1
36	0.2	1.0	0.1	0.1	0.2	0.2	0.1	*	0.1	*	*	*
37	*	0.4	*	*	0.1	*	*	*	*	*	*	*
38	*	0.1	-	-	*	*	*	*	*	*	-	*
39	-	*	-	-	*	*	-	-	-	-	-	-
40 & Above	-	-	-	-	*	*	-	-	-	-	-	-
Average	30.12	31.27	30.68	31.27	30.58	30.63	30.62	31.11	30.93	31.15	30.66	31.01
MIKE												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5	0.1	0.1	*	-	-	*	-	-	-	-	-	-
2.6	0.2	0.1	*	-	*	*	-	-	-	-	-	-
2.7	0.3	0.2	*	-	*	*	-	-	-	-	*	*
2.8	0.4	0.4	*	-	*	*	*	*	-	-	*	*
2.9	0.6	0.6	*	-	*	*	*	-	-	-	*	*
3.0	0.9	0.9	*	-	*	*	*	*	-	-	*	*
3.1	0.9	1.3	*	*	*	*	*	*	-	*	*	*
3.2	1.3	1.8	0.1	0.1	0.1	0.1	*	*	-	*	*	*
3.3	1.6	2.4	0.2	0.1	0.2	0.2	0.1	*	*	*	*	*
3.4	2.1	3.1	0.4	0.1	0.3	0.3	0.4	*	0.1	*	0.1	0.1
3.5	2.5	3.8	0.8	0.5	0.6	0.6	0.9	*	0.1	*	0.3	0.1
3.6	3.2	4.4	1.2	0.8	1.2	1.1	1.1	0.1	0.2	0.1	0.3	0.2
3.7	3.9	5.0	2.2	1.2	1.9	1.9	1.8	0.1	0.3	0.2	0.8	0.4
3.8	4.7	5.6	2.8	1.4	2.9	2.8	3.3	0.2	0.7	0.3	1.1	0.6
3.9	5.5	6.1	4.3	2.1	4.1	4.1	4.7	0.4	1.2	0.6	1.7	1.0
4.0	6.2	6.5	5.7	3.5	5.6	5.6	6.3	0.8	2.3	1.4	2.5	1.7
4.1	7.0	6.9	8.0	5.7	7.4	7.4	7.8	1.3	3.7	2.4	3.9	2.6
4.2	8.0	7.3	9.9	7.2	9.0	9.1	9.5	2.3	5.1	4.3	5.3	4.0
4.3	8.6	7.6	11.3	9.7	9.8	10.0	9.7	4.0	6.7	6.7	6.7	5.8
4.4	9.1	7.7	11.0	12.3	10.0	10.3	9.8	6.4	8.4	9.8	9.5	8.2
4.5	8.9	7.3	10.1	13.0	9.7	9.9	10.0	9.8	10.0	13.0	11.8	11.0
4.6	8.1	6.5	8.7	11.2	9.1	9.1	9.3	14.4	12.2	15.1	13.4	13.9
4.7	6.4	5.4	6.7	12.4	8.2	8.2	7.9	17.1	12.9	15.7	13.4	15.2
4.8	4.4	3.8	5.3	8.4	6.7	6.5	6.3	16.5	11.1	13.2	11.8	13.8
4.9	2.6	2.4	3.9	5.2	5.1	4.9	5.1	12.8	9.2	8.7	8.1	10.1
5.0	1.4	1.4	2.6	3.3	3.6	3.4	3.3	8.1	6.8	4.9	5.4	6.3
5.1	0.6	0.7	1.9	1.7	2.3	2.2	1.7	3.8	4.7	2.3	2.7	3.1
5.2	0.3	0.4	1.4	0.5	1.2	1.2	0.6	1.4	2.6	0.9	1.0	1.2
5.3	0.1	0.2	0.9	0.1	0.6	0.6	0.2	0.5	1.3	0.3	0.3	0.4
5.4	*	0.1	0.4	0.1	0.2	0.3	*	0.1	0.4	0.1	*	0.1
5.5 & Above	*	0.1	0.3	0.1	0.1	0.1	*	*	0.3	*	*	*
Average	4.18	4.11	4.39	4.48	4.41	4.41	4.38	4.69	4.62	4.61	4.56	4.62

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2025 Crop

	Rayville					Visalia					
	Arkansas 2/	Louisiana	Mississippi 2/	Texas 2/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
Extraneous Matter											
Bark - Level 1	-	0.1	-	-	2.2	0.4	1.8	6.8	0.6	1.0	3.0
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	*
Grass - Level 1	-	*	-	-	0.1	0.2	1.1	0.6	0.4	0.4	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	-	-	*	-	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	-	*	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	*
Plastic - Level 1	-	*	-	-	*	*	*	0.1	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	*	*	-	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	0.4	-	-	3.2	0.1	-	-	0.1	0.1	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	*	*	-	-	*	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	*
Strength 1/											
22 & Below	-	-	-	-	-	*	*	*	*	*	*
23	-	-	-	-	-	*	*	-	0.1	*	*
24	-	-	-	-	-	*	0.1	-	0.1	*	*
25	-	*	-	-	*	0.1	0.2	*	0.1	0.1	0.1
26	-	*	-	-	0.2	1.0	0.8	0.2	0.5	0.9	0.5
27	-	0.5	-	-	1.7	2.9	4.0	1.7	0.7	2.9	2.3
28	-	4.4	-	-	6.6	8.5	12.4	7.1	2.7	9.0	7.3
29	-	19.0	-	-	17.9	15.7	22.4	18.9	6.8	16.8	17.1
30	-	33.2	-	-	30.0	22.2	18.7	31.6	10.2	20.6	25.6
31	-	21.1	-	-	20.1	20.7	11.5	20.9	15.5	17.9	21.6
32	-	11.7	-	-	12.6	13.8	4.0	16.5	19.0	11.9	12.4
33	-	5.1	-	-	6.0	7.8	3.7	4.4	16.7	7.4	6.9
34	-	2.9	-	-	3.1	4.3	6.5	1.3	14.0	5.6	3.8
35	-	1.8	-	-	1.5	1.8	8.3	0.1	8.6	4.0	1.6
36	-	0.2	-	-	0.2	0.8	5.4	-	3.5	2.2	0.6
37	-	*	-	-	*	0.3	2.2	*	0.8	0.7	0.2
38	-	*	-	-	*	*	0.2	-	0.3	0.1	0.1
39	-	-	-	-	-	*	0.1	*	0.2	0.1	*
40 & Above	-	-	-	-	-	*	0.1	-	0.2	*	*
Average	-	30.97	-	-	30.93	31.04	31.25	30.81	32.63	31.22	30.99
MIKE											
2.4 & Below	-	-	-	-	-	*	*	-	0.1	*	*
2.5	-	-	-	-	*	*	*	*	0.3	0.1	0.1
2.6	-	*	-	-	*	0.1	0.1	*	0.2	0.1	0.1
2.7	-	*	-	-	*	0.1	0.1	0.2	0.2	0.1	0.1
2.8	-	-	-	-	0.3	0.2	0.2	3.0	0.3	0.3	0.2
2.9	-	*	-	-	*	0.1	0.2	3.0	0.6	0.3	0.3
3.0	-	*	-	-	*	0.2	0.2	1.8	1.4	0.4	0.4
3.1	-	*	-	-	0.1	0.2	0.4	1.7	3.2	0.5	0.5
3.2	-	*	-	-	0.1	0.4	0.4	3.0	5.2	0.9	0.6
3.3	-	*	-	-	0.1	0.4	0.6	1.6	4.6	0.8	0.8
3.4	-	0.1	-	-	0.1	0.5	0.6	1.0	5.0	0.9	1.1
3.5	-	0.1	-	-	0.2	0.7	1.5	1.1	8.3	1.5	1.5
3.6	-	0.1	-	-	0.4	1.0	2.4	1.3	8.3	2.0	1.9
3.7	-	0.2	-	-	0.5	1.8	3.4	3.3	9.3	2.9	2.5
3.8	-	0.3	-	-	0.7	2.5	5.4	4.7	7.9	3.8	3.3
3.9	-	0.6	-	-	1.1	3.5	8.8	7.2	5.9	5.2	4.3
4.0	-	1.3	-	-	1.9	5.2	11.0	6.2	4.2	6.6	5.4
4.1	-	2.2	-	-	3.5	7.3	11.4	6.3	4.7	8.1	6.6
4.2	-	3.4	-	-	4.5	9.2	10.8	7.1	4.1	9.1	7.7
4.3	-	4.9	-	-	5.6	10.6	7.9	9.5	4.1	9.3	8.6
4.4	-	6.3	-	-	6.6	11.2	5.3	9.1	3.7	9.0	8.9
4.5	-	8.2	-	-	8.6	10.9	5.5	8.7	4.2	8.9	8.8
4.6	-	9.7	-	-	9.7	10.0	5.6	6.6	4.3	8.3	8.5
4.7	-	11.2	-	-	10.6	7.7	5.3	6.0	4.5	6.8	7.9
4.8	-	12.6	-	-	11.4	5.7	4.6	5.1	3.0	5.2	6.8
4.9	-	11.7	-	-	10.5	4.3	3.7	3.7	1.7	3.9	5.3
5.0	-	9.6	-	-	8.4	2.8	2.6	1.6	0.3	2.5	3.8
5.1	-	7.7	-	-	7.0	1.2	2.4	0.2	0.5	1.4	2.4
5.2	-	4.4	-	-	4.1	0.9	1.2	0.3	0.6	0.9	1.3
5.3	-	2.6	-	-	2.3	0.6	0.9	*	0.1	0.6	0.6
5.4	-	1.3	-	-	1.1	0.3	0.8	-	*	0.4	0.3
5.5 & Above	-	1.4	-	-	1.3	0.5	0.3	-	-	0.4	0.2
Average	-	4.74	-	-	4.67	4.38	4.24	4.14	3.87	4.30	4.36

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2025 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	0.3	*	*	0.1	-	-	-	-	-	-	-	-
2.5 - 2.6	2.9	0.1	0.2	0.5	*	-	-	-	*	-	-	*
2.7 - 2.9	7.2	0.3	0.5	1.3	0.1	-	-	-	*	*	*	*
3.0 - 3.2	10.0	1.1	1.5	2.4	0.5	*	*	*	0.2	0.1	0.3	0.2
3.3 - 3.4	9.6	2.4	2.3	3.3	1.4	*	*	*	0.5	0.5	0.6	0.5
3.5 - 3.6	12.2	5.7	5.2	6.3	3.1	*	0.2	0.1	1.4	1.4	2.0	1.5
3.7 - 4.2	38.6	47.4	48.3	46.6	46.6	1.4	3.2	2.5	28.6	30.7	48.0	32.1
4.3 - 4.9	18.9	42.6	41.2	38.9	46.4	46.3	59.3	54.0	64.0	60.4	48.2	60.6
5.0 - 5.2	0.3	0.5	0.8	0.6	1.4	44.1	32.7	37.4	4.9	6.3	0.8	4.6
5.3 & Above	-	*	*	*	0.5	8.2	4.6	6.1	0.4	0.7	*	0.4
Average	3.73	4.16	4.15	4.10	4.23	4.94	4.84	4.88	4.41	4.41	4.23	4.38
Leaf Grade												
1 - 2	6.5	58.3	68.9	56.3	24.7	1.2	5.6	3.8	9.3	4.5	11.3	8.4
3	23.6	33.3	25.2	28.5	49.7	33.1	41.0	37.7	51.8	49.0	61.2	52.5
4	30.1	7.2	4.9	9.2	21.1	51.1	41.4	45.4	32.6	40.1	24.3	33.2
5	22.9	1.0	0.8	3.8	4.0	13.6	11.0	12.0	5.8	6.1	3.1	5.4
6	11.9	0.1	0.1	1.7	0.5	1.1	1.1	1.1	0.6	0.3	0.1	0.4
7	4.1	*	*	0.6	0.1	*	*	*	0.1	*	*	*
8	0.9	*	*	0.1	*	-	-	-	*	-	-	*
Average	4.26	2.33	2.20	2.52	3.04	3.80	3.61	3.69	3.37	3.49	3.20	3.37
Trash 1/												
00	-	*	*	*	*	-	-	-	-	-	-	-
01	1.4	28.5	33.4	27.2	5.1	*	0.4	0.3	0.8	0.2	0.5	0.6
02	6.7	33.9	39.6	32.9	22.4	1.9	6.5	4.6	11.1	6.5	12.5	10.2
03	10.9	20.3	15.3	16.9	27.9	11.1	17.6	14.9	24.4	22.2	29.6	24.6
04	12.7	9.8	6.4	8.7	20.4	21.9	23.7	22.9	25.5	27.5	26.5	26.2
05	12.6	4.2	2.8	4.7	12.1	23.9	20.7	22.0	18.3	21.5	16.0	18.8
06	11.1	1.7	1.3	2.8	6.5	18.4	14.0	15.8	10.5	12.3	8.3	10.7
07	9.8	0.8	0.6	1.9	3.1	11.6	8.4	9.7	5.2	5.8	3.9	5.2
08	8.4	0.4	0.3	1.4	1.4	6.1	4.5	5.2	2.4	2.4	1.7	2.3
09	6.9	0.2	0.1	1.0	0.6	3.0	2.3	2.6	1.0	0.9	0.7	0.9
10	5.3	0.1	0.1	0.8	0.3	1.3	1.1	1.2	0.4	0.4	0.2	0.4
11	4.1	*	*	0.6	0.1	0.6	0.5	0.5	0.2	0.1	0.1	0.2
12	3.1	*	*	0.4	0.1	0.2	0.2	0.2	0.1	*	*	0.1
13	2.3	*	*	0.3	*	0.1	0.1	0.1	*	*	*	*
14	1.6	*	*	0.2	*	*	*	*	*	*	*	*
15	1.0	*	*	0.1	*	*	*	*	*	*	*	*
16	0.7	*	*	0.1	*	-	-	-	*	*	*	*
17	0.5	*	*	0.1	*	-	-	-	*	-	*	*
18 & Above	0.8	*	*	0.1	*	-	-	-	*	*	*	*
Average	0.66	0.24	0.22	0.28	0.36	0.53	0.48	0.50	0.43	0.45	0.40	0.43
Uniformity 2/												
74 & Below	*	*	*	*	*	-	-	-	*	-	-	*
75	0.2	*	0.1	0.1	*	-	-	-	*	*	-	*
76	0.8	*	0.3	0.2	*	*	*	*	*	*	*	*
77	2.4	0.2	1.2	0.9	0.1	*	*	*	*	0.1	*	*
78	4.7	1.4	5.5	3.6	0.7	0.2	0.2	0.2	0.6	0.5	0.2	0.5
79	8.8	7.0	20.7	13.2	3.7	1.0	0.9	1.0	3.0	3.8	1.4	2.9
80	18.3	20.6	37.6	27.7	13.4	6.4	7.4	7.0	11.0	16.7	8.2	12.0
81	31.0	31.7	25.6	29.0	30.1	26.2	29.5	28.1	27.2	32.9	27.9	28.8
82	22.9	24.4	7.9	17.0	31.1	35.5	39.6	37.9	35.3	32.4	38.3	35.0
83	9.2	11.5	1.1	6.7	16.1	22.7	19.0	20.5	19.9	12.4	21.1	18.2
84	1.6	2.8	0.1	1.5	4.3	7.5	3.4	5.1	2.7	1.1	2.9	2.3
85 & Above	0.1	0.2	*	0.1	0.4	0.5	0.1	0.2	0.2	0.1	0.2	0.2
Average	81.26	81.62	80.53	81.10	82.00	82.41	82.23	82.30	82.10	81.80	82.23	82.04
Tenderable	32.5	91.1	84.8	80.8	88.1	44.5	59.0	53.0	90.7	86.4	96.1	90.5
SAMPLES CLASSED	160,354	539,396	541,799	1,241,549	1,530,249	391,532	559,524	951,056	653,677	283,935	172,921	1,110,533

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2025 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	0.3	0.2	*	-	*	*	-	-	-	-	-	-
2.7 - 2.9	1.3	1.3	*	-	*	*	*	*	-	-	*	*
3.0 - 3.2	3.1	4.1	0.1	0.1	0.1	0.1	0.1	*	-	*	*	*
3.3 - 3.4	3.7	5.4	0.6	0.1	0.5	0.5	0.5	*	0.1	*	0.2	0.1
3.5 - 3.6	5.7	8.2	1.9	1.3	1.8	1.8	2.0	0.1	0.3	0.1	0.6	0.3
3.7 - 4.2	35.3	37.3	32.8	21.0	30.9	30.9	33.6	5.1	13.3	9.2	15.1	10.3
4.3 - 4.9	48.2	40.7	57.1	72.1	58.6	58.9	58.1	80.9	70.4	82.2	74.7	78.1
5.0 - 5.2	2.3	2.4	5.8	5.4	7.1	6.9	5.5	13.3	14.1	8.1	9.1	10.6
5.3 & Above	0.2	0.3	1.6	0.3	0.9	1.0	0.2	0.6	1.9	0.5	0.3	0.6
Average	4.18	4.11	4.39	4.48	4.41	4.41	4.38	4.69	4.62	4.61	4.56	4.62
Leaf Grade												
1 - 2	86.0	68.4	19.2	7.8	14.8	15.3	7.6	2.5	9.6	4.2	16.4	5.7
3	12.3	26.0	55.7	52.7	58.6	57.9	53.7	41.2	46.4	53.5	59.0	48.6
4	1.4	4.5	22.1	34.5	23.5	23.7	32.1	43.6	34.9	36.7	21.8	37.1
5	0.3	0.9	2.8	4.8	2.9	3.0	5.9	11.2	8.2	5.3	2.7	7.7
6	0.1	0.2	0.2	0.3	0.2	0.2	0.6	1.4	0.9	0.4	0.2	0.8
7	*	*	*	*	*	*	*	0.1	0.1	*	*	0.1
8	-	*	*	-	*	*	-	-	-	-	-	-
Average	1.76	2.22	3.09	3.37	3.15	3.15	3.38	3.68	3.44	3.44	3.11	3.49
Trash 1/												
00	0.7	*	-	-	-	-	-	-	-	*	*	*
01	59.1	33.1	2.7	0.9	1.4	1.6	0.5	0.1	1.0	0.2	2.0	0.5
02	29.9	41.5	21.9	9.4	19.9	19.8	8.7	3.6	12.3	6.4	17.1	7.2
03	7.2	15.5	30.2	23.4	32.0	31.4	23.9	16.1	21.8	23.6	29.7	21.1
04	2.0	5.5	22.5	28.1	23.6	23.6	26.7	25.5	21.6	28.8	24.7	26.2
05	0.7	2.2	12.4	19.3	12.7	12.9	18.8	22.5	17.8	20.7	14.2	20.2
06	0.3	1.0	5.8	10.3	5.9	6.1	10.9	15.0	11.8	11.2	6.8	12.2
07	0.1	0.5	2.6	4.8	2.6	2.7	5.8	8.6	6.8	5.2	3.1	6.5
08	0.1	0.3	1.1	2.2	1.1	1.1	2.6	4.4	3.5	2.2	1.3	3.2
09	*	0.1	0.4	0.9	0.5	0.5	1.2	2.2	1.8	1.0	0.6	1.5
10	*	0.1	0.2	0.5	0.2	0.2	0.5	1.1	0.9	0.4	0.2	0.7
11	*	0.1	0.1	0.2	0.1	0.1	0.2	0.5	0.5	0.2	0.1	0.3
12	*	*	*	0.1	*	*	0.1	0.2	0.2	0.1	*	0.1
13	*	*	*	*	*	*	*	0.1	0.1	*	*	0.1
14	*	*	*	*	*	*	*	0.1	*	*	*	*
15	-	*	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	-	-	-	-	-	-
17	*	*	*	*	*	*	-	-	-	-	-	-
18 & Above	-	*	*	*	*	*	-	-	-	-	-	-
Average	0.16	0.21	0.36	0.43	0.37	0.37	0.44	0.50	0.45	0.44	0.38	0.46
Uniformity 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.1	*	-	-	*	*	-	-	-	-	-	-
76	0.5	0.2	*	*	*	*	*	*	*	*	*	*
77	2.3	1.1	0.1	*	0.1	0.1	*	*	0.1	*	*	*
78	9.8	4.5	0.5	0.1	0.9	0.8	0.2	0.1	0.4	0.1	0.1	0.1
79	24.9	14.3	3.8	1.1	5.5	5.1	1.2	0.3	1.8	0.2	0.6	0.5
80	35.9	29.9	17.6	7.8	21.3	20.1	6.6	2.9	9.5	2.1	6.9	3.9
81	21.5	31.7	37.0	37.1	36.2	36.4	21.9	18.1	31.2	16.6	32.7	20.7
82	4.6	14.7	31.3	41.9	26.4	27.8	40.3	45.5	35.3	50.4	43.1	45.7
83	0.5	3.1	8.7	10.9	8.2	8.4	25.6	29.9	17.4	27.9	15.6	26.3
84	*	0.4	0.9	1.1	1.3	1.2	4.0	3.0	3.8	2.5	0.9	2.7
85 & Above	*	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.4	0.2	0.1	0.2
Average	80.23	80.90	81.69	82.02	81.56	81.60	82.41	82.57	82.14	82.57	82.14	82.47
Tenderable	83.8	78.3	89.0	91.0	88.4	88.6	91.5	80.3	82.3	86.7	82.3	83.4
SAMPLES CLASSED	590,576	2,511,814	369,054	90,071	1,738,863	2,197,988	180,815	1,029,688	120,143	680,258	340,307	2,351,211

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2025 Crop

	Rayville					Visalia					
	Arkansas 3/	Louisiana	Mississippi 3/	Texas 3/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
MIKE Range											
2.4 & Below	-	-	-	-	-	*	*	-	0.1	*	*
2.5 - 2.6	-	*	-	-	*	0.1	0.1	0.1	0.6	0.2	0.2
2.7 - 2.9	-	*	-	-	0.1	0.4	0.5	6.0	1.1	0.7	0.5
3.0 - 3.2	-	*	-	-	0.1	0.8	0.9	6.6	9.8	1.7	1.3
3.3 - 3.4	-	0.1	-	-	0.2	0.9	1.2	2.6	9.7	1.8	1.9
3.5 - 3.6	-	0.2	-	-	0.6	1.7	3.9	2.3	16.6	3.5	3.4
3.7 - 4.2	-	8.1	-	-	12.3	29.5	50.9	33.6	36.1	35.6	29.7
4.3 - 4.9	-	64.6	-	-	63.0	60.4	36.1	48.8	24.9	50.8	54.7
5.0 - 5.2	-	21.7	-	-	19.3	4.9	6.0	1.9	1.3	4.8	7.5
5.3 & Above	-	5.3	-	-	4.6	1.3	1.8	*	0.1	1.2	1.0
Average	-	4.74	-	-	4.67	4.38	4.24	4.14	3.87	4.30	4.36
Leaf Grade											
1 - 2	-	14.2	-	-	12.7	31.9	39.4	51.1	45.0	35.6	31.0
3	-	49.8	-	-	48.8	36.1	42.3	31.5	47.7	38.5	41.7
4	-	29.5	-	-	30.5	21.6	13.2	12.8	6.8	17.9	22.1
5	-	6.1	-	-	6.9	7.7	3.8	3.6	0.5	6.0	4.5
6	-	0.4	-	-	1.0	2.1	1.1	1.0	0.1	1.7	0.6
7	-	-	-	-	*	0.4	0.2	0.2	-	0.4	0.1
8	-	-	-	-	-	0.1	0.1	-	-	0.1	*
Average	-	3.28	-	-	3.34	3.08	2.79	2.62	2.58	2.95	2.95
Trash 1/											
00	-	-	-	-	-	*	*	-	-	*	0.1
01	-	1.9	-	-	1.6	12.4	14.5	18.8	15.0	13.4	13.0
02	-	15.0	-	-	14.0	24.5	30.2	36.3	39.0	27.6	21.9
03	-	24.4	-	-	24.1	19.8	24.8	19.7	29.0	21.9	21.5
04	-	23.2	-	-	23.3	15.5	14.2	11.1	11.3	14.7	17.8
05	-	16.2	-	-	16.3	10.9	7.3	6.7	3.9	9.2	11.9
06	-	9.6	-	-	9.7	6.9	3.8	3.5	1.4	5.5	6.8
07	-	5.2	-	-	5.3	4.3	2.2	2.0	0.3	3.3	3.6
08	-	2.5	-	-	2.7	2.5	1.4	1.1	0.1	2.0	1.8
09	-	1.2	-	-	1.5	1.5	0.8	0.5	*	1.2	0.9
10	-	0.5	-	-	0.8	0.8	0.5	0.2	*	0.6	0.4
11	-	0.2	-	-	0.4	0.5	0.3	0.1	*	0.4	0.2
12	-	0.1	-	-	0.2	0.2	0.2	0.1	*	0.2	0.1
13	-	*	-	-	0.1	0.1	0.1	*	-	0.1	0.1
14	-	*	-	-	*	0.1	0.1	-	-	0.1	*
15	-	-	-	-	-	*	*	-	-	*	*
16	-	-	-	-	-	*	*	-	-	*	*
17	-	-	-	-	*	*	*	-	-	*	*
18 & Above	-	-	-	-	-	*	*	-	-	*	*
Average	-	0.41	-	-	0.42	0.36	0.31	0.28	0.26	0.34	0.35
Uniformity 2/											
74 & Below	-	-	-	-	-	-	-	-	-	-	*
75	-	-	-	-	-	*	-	*	-	*	*
76	-	-	-	-	-	*	*	0.1	*	*	0.1
77	-	-	-	-	-	0.2	0.2	0.2	0.1	0.2	0.5
78	-	0.1	-	-	0.2	0.8	1.6	3.2	1.6	1.1	2.0
79	-	1.2	-	-	1.9	3.1	6.6	9.2	5.1	4.4	6.9
80	-	7.1	-	-	10.6	14.8	28.6	18.0	12.5	18.2	17.8
81	-	30.1	-	-	32.1	36.8	30.8	34.5	18.8	33.7	29.2
82	-	40.4	-	-	37.3	35.2	20.1	28.8	29.1	30.7	28.4
83	-	18.5	-	-	15.8	8.5	10.3	6.7	23.6	10.2	12.9
84	-	2.6	-	-	2.1	0.7	3.5	0.3	8.0	1.9	2.1
85 & Above	-	0.1	-	-	0.1	*	0.1	*	1.9	0.2	0.2
Average	-	82.20	-	-	82.05	81.75	81.45	81.41	82.24	81.71	81.66
Tenderable	-	71.5	-	-	69.3	86.4	85.6	81.6	75.4	85.1	81.7
SAMPLES CLASSED	-	223,299	-	-	283,396	232,176	94,092	12,080	31,186	369,534	13,137,906

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2025 Crop

Quality Desgination	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	1,782	6.4	15,817	5.1	-	-	5,712	16.4	24,143	6.2
	2	787	2.8	19,603	6.3	-	-	7,148	20.6	29,653	7.6
	3	70	0.3	414	0.1	-	-	195	0.6	935	0.2
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		2,639	9.5	35,834	11.6	-	-	13,055	37.6	54,731	14.0
02	1	10,101	36.4	13,920	4.5	-	-	4,348	12.5	29,909	7.7
	2	5,965	21.5	104,356	33.8	-	-	14,079	40.5	134,485	34.4
	3	128	0.5	27,784	9.0	-	-	1,170	3.4	32,217	8.2
	4	4	*	457	0.1	-	-	45	0.1	772	0.2
	5	-	-	2	*	-	-	1	*	8	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		16,198	58.4	146,519	47.4	-	-	19,643	56.5	197,391	50.5
03	1	2,035	7.3	640	0.2	-	-	113	0.3	2,797	0.7
	2	5,282	19.0	44,353	14.4	-	-	1,480	4.3	51,459	13.2
	3	472	1.7	59,210	19.2	-	-	309	0.9	60,469	15.5
	4	18	0.1	7,096	2.3	-	-	38	0.1	7,284	1.9
	5	-	-	200	0.1	-	-	-	-	211	0.1
	6	-	-	12	*	-	-	-	-	12	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		7,807	28.2	111,511	36.1	-	-	1,940	5.6	122,232	31.3
04	1	60	0.2	24	*	-	-	-	-	84	*
	2	727	2.6	1,857	0.6	-	-	23	0.1	2,609	0.7
	3	222	0.8	7,239	2.3	-	-	50	0.1	7,530	1.9
	4	9	*	2,950	1.0	-	-	21	0.1	2,995	0.8
	5	-	-	259	0.1	-	-	1	*	261	0.1
	6	-	-	43	*	-	-	-	-	43	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		1,018	3.7	12,372	4.0	-	-	95	0.3	13,522	3.5
05	1	4	*	1	*	-	-	-	-	5	*
	2	42	0.2	213	0.1	-	-	-	-	256	0.1
	3	25	0.1	879	0.3	-	-	13	*	917	0.2
	4	-	-	769	0.2	-	-	4	*	774	0.2
	5	-	-	102	*	-	-	-	-	102	*
	6	-	-	46	*	-	-	-	-	46	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		71	0.3	2,010	0.7	-	-	17	*	2,100	0.5
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	36	*	-	-	-	-	36	*
	3	-	-	220	0.1	-	-	-	-	220	0.1
	4	-	-	158	0.1	-	-	-	-	158	*
	5	-	-	29	*	-	-	-	-	29	*
	6	-	-	9	*	-	-	-	-	9	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	452	0.1	-	-	-	-	452	0.1
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	29	*	-	-	-	-	29	*
	4	-	-	89	*	-	-	-	-	89	*
	5	-	-	30	*	-	-	-	-	30	*
	6	-	-	8	*	-	-	-	-	8	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		-	-	156	0.1	-	-	-	-	156	*
Staple											
44 & Shorter		9	*	7,127	2.3	-	-	4,555	13.1	11,729	3.0
46		3,197	11.5	23,172	7.5	-	-	16,181	46.6	44,502	11.4
48		19,926	71.8	135,638	43.9	-	-	12,287	35.4	180,388	46.2
50		4,540	16.4	135,758	44.0	-	-	1,589	4.6	146,271	37.4
52 & Longer		61	0.2	7,159	2.3	-	-	138	0.4	7,694	2.0
Average Staple		48.10		48.73		-	-	46.65		48.48	
Average Length		1.40		1.42		-	-	1.36		1.41	
Extraneous Matter											
Bark		2	*	38	*	-	-	57	0.2	106	*
Grass		-	-	754	0.2	-	-	345	1.0	1,234	0.3
Spindle Twist		1	*	469	0.2	-	-	12	*	482	0.1
Prep		3	*	6	*	-	-	-	-	9	*
All Other		3	*	35	*	-	-	29	0.1	75	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2025 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	3	*	3	*
2.7 - 2.9	15	0.1	408	0.1	-	-	89	0.3	614	0.2
3.0 - 3.2	139	0.5	1,427	0.5	-	-	3,322	9.6	6,188	1.6
3.3 - 3.4	151	0.5	4,347	1.4	-	-	4,661	13.4	10,986	2.8
3.5 - 3.6	1,075	3.9	21,394	6.9	-	-	6,649	19.1	33,520	8.6
3.7 - 4.2	24,494	88.3	269,331	87.2	-	-	18,836	54.2	323,501	82.8
4.3 - 4.9	1,858	6.7	11,943	3.9	-	-	1,190	3.4	15,767	4.0
5.0 - 5.2	1	*	4	*	-	-	-	-	5	*
5.3 & Above	-	-	-	-	-	-	-	-	-	-
Average	3.97		3.91		-		3.71		3.89	
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	3	*	3	*
2.7	1	*	6	*	-	-	1	*	8	*
2.8	12	*	58	*	-	-	10	*	90	*
2.9	2	*	344	0.1	-	-	78	0.2	516	0.1
3.0	15	0.1	299	0.1	-	-	504	1.5	995	0.3
3.1	48	0.2	395	0.1	-	-	1,332	3.8	2,135	0.5
3.2	76	0.3	733	0.2	-	-	1,486	4.3	3,058	0.8
3.3	48	0.2	1,399	0.5	-	-	1,650	4.7	3,757	1.0
3.4	103	0.4	2,948	1.0	-	-	3,011	8.7	7,229	1.9
3.5	337	1.2	6,156	2.0	-	-	3,437	9.9	11,788	3.0
3.6	738	2.7	15,238	4.9	-	-	3,212	9.2	21,732	5.6
3.7	1,961	7.1	29,724	9.6	-	-	3,369	9.7	37,990	9.7
3.8	3,429	12.4	49,724	16.1	-	-	3,625	10.4	59,071	15.1
3.9	5,068	18.3	67,343	21.8	-	-	3,928	11.3	78,516	20.1
4.0	6,155	22.2	62,958	20.4	-	-	3,592	10.3	74,264	19.0
4.1	5,301	19.1	39,090	12.7	-	-	3,011	8.7	48,594	12.4
4.2	2,580	9.3	20,492	6.6	-	-	1,311	3.8	25,066	6.4
4.3	1,015	3.7	7,607	2.5	-	-	743	2.1	9,942	2.5
4.4	650	2.3	2,806	0.9	-	-	211	0.6	3,827	1.0
4.5	119	0.4	1,177	0.4	-	-	145	0.4	1,465	0.4
4.6	68	0.2	274	0.1	-	-	69	0.2	421	0.1
4.7	4	*	47	*	-	-	4	*	56	*
4.8	1	*	23	*	-	-	16	*	44	*
4.9	1	*	9	*	-	-	2	*	12	*
5.0	1	*	2	*	-	-	-	-	3	*
5.1	-	-	2	*	-	-	-	-	2	*
5.2	-	-	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-	-	-
Average	3.97		3.91		-		3.71		3.89	
Strength										
36 & Below	19	0.1	4,352	1.4	-	-	3,738	10.8	10,821	2.8
37	48	0.2	12,712	4.1	-	-	5,738	16.5	19,090	4.9
38	156	0.6	8,999	2.9	-	-	5,972	17.2	15,358	3.9
39	334	1.2	3,725	1.2	-	-	2,577	7.4	6,850	1.8
40	1,443	5.2	4,968	1.6	-	-	930	2.7	7,949	2.0
41	5,039	18.2	15,231	4.9	-	-	1,072	3.1	23,040	5.9
42	8,083	29.1	30,734	10.0	-	-	1,863	5.4	43,854	11.2
43	7,425	26.8	50,690	16.4	-	-	2,624	7.6	64,530	16.5
44	3,705	13.4	64,386	20.8	-	-	3,428	9.9	75,062	19.2
45	1,160	4.2	57,916	18.8	-	-	3,091	8.9	63,777	16.3
46	228	0.8	33,945	11.0	-	-	2,297	6.6	37,170	9.5
47	51	0.2	14,362	4.7	-	-	956	2.8	15,618	4.0
48 & Above	42	0.2	6,834	2.2	-	-	464	1.3	7,465	1.9
Average	42.81		43.88		-		40.97		43.46	
Uniformity										
83 & Below	36	0.1	5,110	1.7	-	-	1,141	3.3	6,364	1.6
84	553	2.0	35,834	11.6	-	-	8,124	23.4	46,611	11.9
85	8,616	31.1	103,082	33.4	-	-	14,638	42.1	133,305	34.1
86	15,611	56.3	144,558	46.8	-	-	9,769	28.1	178,594	45.7
87	2,825	10.2	18,503	6.0	-	-	1,018	2.9	23,721	6.1
88 & Above	92	0.3	1,767	0.6	-	-	60	0.2	1,989	0.5
Average	86.22		85.90		-		85.49		85.89	
SAMPLES CLASSED	27,733		308,854		-		34,750		390,584	

NOTE: Totals may not add due to rounding.

* Less than 0.05 percent.